

Product Change Notification (PCN)

PCN #: 3C-2026

Date: March 11, 2026

1 Products Affected

Ezurio Part Number	Description
CL4490-1000-232	ConnexLink 900MHz 1W RS232
CL4790-1000-232	ConnexLink 900MHz 1W RS232
CL4490-1000-232-SP	ConnexLink 900MHz 1W RS232 Starter Pack
CL4790-1000-232-SP	ConnexLink 900MHz 1W RS232 Starter Pack
CL4490-1000-485	ConnexLink 900MHz 1W RS485
CL4790-1000-485	ConnexLink 900MHz 1W RS485
CL4490-1000-485-SP	ConnexLink 900MHz 1W RS485 Starter Pack
CL4790-1000-485-SP	ConnexLink 900MHz 1W RS485 Starter Pack
450-00151-K2	Kit, CL4490-1000-232
450-00152-K2	Kit, CL4490-1000-485

2 Description of Changes

All changes have been applied to the part numbers listed above:

- Update product label contents on supply voltage from 7-18V to 7-28V to align with datasheet
- Remove the line of FHSS Interface: RS232 RS485 as indicated in the Model

3 Reason for Change

To ensure compliance with datasheet supply voltage and remove redundant label content information.

4 Anticipated Impact of the Change

There is no form, fit or functional change caused by this PCN. This is a label contents change only.

5 Method of Identifying the Changed Product

5.1 Product Label (on device)

- CL4490-1000-232 / CL4490-1000-232-SP / CL4490-1000-485 / CL4490-1000-485-SP / 450-00151-K2 / 450-00152-K2
 - Remove the line of FHSS Interface: RS232 RS485
 - Update 7-18V to 7-28V

Before	After
<div style="background-color: #333; color: white; padding: 10px;"> <p style="font-size: 24px; font-weight: bold; margin: 0;">ConnexLink™ 4490</p> <p style="font-size: 10px; margin: 0;">FHSS Interface: <input checked="" type="checkbox"/> RS232 <input checked="" type="checkbox"/> RS485</p> <p style="font-size: 10px; margin: 0;">I/O Model: CL4490-1000-232 R3</p> <p style="font-size: 10px; margin: 0;">Type: <input checked="" type="checkbox"/> Server <input checked="" type="checkbox"/> Client</p> <p style="font-size: 10px; margin: 0;">FCC ID: SQG-CL4490</p> <p style="font-size: 10px; margin: 0;">IC: 3147A-CL4490</p> <p style="font-size: 8px; margin: 0;">This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference; (2) This device must accept any interference received, including interference that may cause undesired operation.</p> <p style="font-size: 10px; margin: 0;">7-18 VDC Product Page: https://www.ezurio.com/cl4490-series</p> <p style="font-size: 10px; margin: 0;">Quick Start Guide: https://www.ezurio.com/cl4490-quick-start</p> <div style="display: flex; justify-content: space-between; font-size: 8px; margin-top: 10px;"> Antenna TX </div> <div style="display: flex; justify-content: space-between; font-size: 8px;"> <input type="checkbox"/> - 02 RX </div> <div style="display: flex; justify-content: space-between; font-size: 8px;"> <input type="checkbox"/> - 03 LINK </div> <div style="display: flex; justify-content: space-between; font-size: 8px;"> <input type="checkbox"/> - 04 PWR </div> </div>	<div style="background-color: #333; color: white; padding: 10px;"> <p style="font-size: 24px; font-weight: bold; margin: 0;">ConnexLink™ 4490</p> <p style="font-size: 10px; margin: 0;">I/O Model: CL4490-1000-232 R3</p> <p style="font-size: 10px; margin: 0;">Type: <input checked="" type="checkbox"/> Server <input checked="" type="checkbox"/> Client</p> <p style="font-size: 10px; margin: 0;">FCC ID: SQG-CL4490</p> <p style="font-size: 10px; margin: 0;">IC: 3147A-CL4490</p> <p style="font-size: 8px; margin: 0;">This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference; (2) This device must accept any interference received, including interference that may cause undesired operation.</p> <p style="font-size: 10px; margin: 0;">7-28 VDC Product Page: https://www.ezurio.com/cl4490-series</p> <p style="font-size: 10px; margin: 0;">Quick Start Guide: https://www.ezurio.com/cl4490-quick-start</p> <div style="display: flex; justify-content: space-between; font-size: 8px; margin-top: 10px;"> Antenna TX </div> <div style="display: flex; justify-content: space-between; font-size: 8px;"> <input type="checkbox"/> - 02 RX </div> <div style="display: flex; justify-content: space-between; font-size: 8px;"> <input type="checkbox"/> - 03 LINK </div> <div style="display: flex; justify-content: space-between; font-size: 8px;"> <input type="checkbox"/> - 04 PWR </div> </div>
<div style="background-color: #333; color: white; padding: 10px;"> <p style="font-size: 24px; font-weight: bold; margin: 0;">ConnexLink™ 4490</p> <p style="font-size: 10px; margin: 0;">FHSS Interface: <input checked="" type="checkbox"/> RS232 <input checked="" type="checkbox"/> RS485</p> <p style="font-size: 10px; margin: 0;">I/O Model: CL4490-1000-485 R3</p> <p style="font-size: 10px; margin: 0;">Type: <input checked="" type="checkbox"/> Server <input checked="" type="checkbox"/> Client</p> <p style="font-size: 10px; margin: 0;">FCC ID: SQG-CL4490</p> <p style="font-size: 10px; margin: 0;">IC: 3147A-CL4490</p> <p style="font-size: 8px; margin: 0;">This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference; (2) This device must accept any interference received, including interference that may cause undesired operation.</p> <p style="font-size: 10px; margin: 0;">7-18 VDC Product Page: https://www.ezurio.com/cl4490-series</p> <p style="font-size: 10px; margin: 0;">Quick Start Guide: https://www.ezurio.com/cl4490-quick-start</p> <div style="display: flex; justify-content: space-between; font-size: 8px; margin-top: 10px;"> Antenna TX </div> <div style="display: flex; justify-content: space-between; font-size: 8px;"> <input type="checkbox"/> - 02 RX </div> <div style="display: flex; justify-content: space-between; font-size: 8px;"> <input type="checkbox"/> - 03 LINK </div> <div style="display: flex; justify-content: space-between; font-size: 8px;"> <input type="checkbox"/> - 04 PWR </div> </div>	<div style="background-color: #333; color: white; padding: 10px;"> <p style="font-size: 24px; font-weight: bold; margin: 0;">ConnexLink™ 4490</p> <p style="font-size: 10px; margin: 0;">I/O Model: CL4490-1000-485 R3</p> <p style="font-size: 10px; margin: 0;">Type: <input checked="" type="checkbox"/> Server <input checked="" type="checkbox"/> Client</p> <p style="font-size: 10px; margin: 0;">FCC ID: SQG-CL4490</p> <p style="font-size: 10px; margin: 0;">IC: 3147A-CL4490</p> <p style="font-size: 8px; margin: 0;">This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference; (2) This device must accept any interference received, including interference that may cause undesired operation.</p> <p style="font-size: 10px; margin: 0;">7-28 VDC Product Page: https://www.ezurio.com/cl4490-series</p> <p style="font-size: 10px; margin: 0;">Quick Start Guide: https://www.ezurio.com/cl4490-quick-start</p> <div style="display: flex; justify-content: space-between; font-size: 8px; margin-top: 10px;"> Antenna TX </div> <div style="display: flex; justify-content: space-between; font-size: 8px;"> <input type="checkbox"/> - 02 RX </div> <div style="display: flex; justify-content: space-between; font-size: 8px;"> <input type="checkbox"/> - 03 LINK </div> <div style="display: flex; justify-content: space-between; font-size: 8px;"> <input type="checkbox"/> - 04 PWR </div> </div>

- CL4790-1000-232 / CL4790-1000-485/ CL4790-1000-232-SP/ CL4790-1000-485-SP
 - Remove the line of FHSS Interface: RS232 RS485
 - Update 7-18V to 7-28V

Before	After
<div style="background-color: #333; color: white; padding: 10px;"> <h2 style="margin: 0;">ConnexLink™ 4790</h2> <p style="margin: 0;">FHSS Interface: <input checked="" type="checkbox"/> RS232 <input checked="" type="checkbox"/> RS485</p> <p style="margin: 0;">I/O Model: CL4790-1000-232 R3</p> <p style="margin: 0;">Type: Peer-to-Peer</p> <p style="margin: 0;">FCC ID: SQG-CL4490</p> <p style="margin: 0;">IC: 3147A-CL4490</p> <p style="margin: 0; font-size: small;">This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference; (2) This device must accept any interference received, including interference that may cause undesired operation.</p> <p style="margin: 0;">7-18 VDC</p> <p style="margin: 0; font-size: small;">Product Page: https://www.ezurio.com/cl4790-series</p> <p style="margin: 0; font-size: small;">Quick Start Guide: https://www.ezurio.com/cl4790-quick-start</p> <div style="text-align: right; font-size: small;"> Antenna <input type="checkbox"/> - 02 <input type="checkbox"/> - 03 <input type="checkbox"/> - 04 TX RX LINK PWR </div> </div>	<div style="background-color: #333; color: white; padding: 10px;"> <h2 style="margin: 0;">ConnexLink™ 4790</h2> <p style="margin: 0;">FHSS Interface: <input type="checkbox"/> RS232 <input type="checkbox"/> RS485</p> <p style="margin: 0;">I/O Model: CL4790-1000-232 R3</p> <p style="margin: 0;">Type: Peer-to-Peer</p> <p style="margin: 0;">FCC ID: SQG-CL4490</p> <p style="margin: 0;">IC: 3147A-CL4490</p> <p style="margin: 0; font-size: small;">This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference; (2) This device must accept any interference received, including interference that may cause undesired operation.</p> <p style="margin: 0;">7-28 VDC</p> <p style="margin: 0; font-size: small;">Product Page: https://www.ezurio.com/cl4790-series</p> <p style="margin: 0; font-size: small;">Quick Start Guide: https://www.ezurio.com/cl4790-quick-start</p> <div style="text-align: right; font-size: small;"> Antenna <input type="checkbox"/> - 02 <input type="checkbox"/> - 03 <input type="checkbox"/> - 04 TX RX LINK PWR </div> </div>
<div style="background-color: #333; color: white; padding: 10px;"> <h2 style="margin: 0;">ConnexLink™ 4790</h2> <p style="margin: 0;">FHSS Interface: <input checked="" type="checkbox"/> RS232 <input checked="" type="checkbox"/> RS485</p> <p style="margin: 0;">I/O Model: CL4790-1000-485 R3</p> <p style="margin: 0;">Type: Peer-to-Peer</p> <p style="margin: 0;">FCC ID: SQG-CL4490</p> <p style="margin: 0;">IC: 3147A-CL4490</p> <p style="margin: 0; font-size: small;">This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference; (2) This device must accept any interference received, including interference that may cause undesired operation.</p> <p style="margin: 0;">7-18 VDC</p> <p style="margin: 0; font-size: small;">Product Page: https://www.ezurio.com/cl4790-series</p> <p style="margin: 0; font-size: small;">Quick Start Guide: https://www.ezurio.com/cl4790-quick-start</p> <div style="text-align: right; font-size: small;"> Antenna <input type="checkbox"/> - 02 <input type="checkbox"/> - 03 <input type="checkbox"/> - 04 TX RX LINK PWR </div> </div>	<div style="background-color: #333; color: white; padding: 10px;"> <h2 style="margin: 0;">ConnexLink™ 4790</h2> <p style="margin: 0;">FHSS Interface: <input type="checkbox"/> RS232 <input type="checkbox"/> RS485</p> <p style="margin: 0;">I/O Model: CL4790-1000-485 R3</p> <p style="margin: 0;">Type: Peer-to-Peer</p> <p style="margin: 0;">FCC ID: SQG-CL4490</p> <p style="margin: 0;">IC: 3147A-CL4490</p> <p style="margin: 0; font-size: small;">This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference; (2) This device must accept any interference received, including interference that may cause undesired operation.</p> <p style="margin: 0;">7-28 VDC</p> <p style="margin: 0; font-size: small;">Product Page: https://www.ezurio.com/cl4790-series</p> <p style="margin: 0; font-size: small;">Quick Start Guide: https://www.ezurio.com/cl4790-quick-start</p> <div style="text-align: right; font-size: small;"> Antenna <input type="checkbox"/> - 02 <input type="checkbox"/> - 03 <input type="checkbox"/> - 04 TX RX LINK PWR </div> </div>

6 Factory Effectivity Date

6.1 Factory Effectivity Date

These changes will be implemented into manufacturing starting from Date Codes, as outlined below for each product variant. The date code is shown on each label, as format SSYYWWD.

SS = Supplier code

YY = last two numbers of the year (ex: 18=2018, 19=2019)

WW = Week of the year

D = day of the week (ex: Sun=1, Mon=2, Tue=3, Wed=4, Thu=5, Fri=6, Sat=7)

Ezurio Part Number	Estimated Factory Effectivity – Date Codes
CL4490-1000-232	1726191
CL4790-1000-232	1726191
CL4490-1000-232-SP	1726191
CL4790-1000-232-SP	1726191
CL4490-1000-485	1726191
CL4790-1000-485	1726191
CL4490-1000-485-SP	1726191
CL4790-1000-485-SP	1726191
450-00151-K2	1726191
450-00152-K2	1726191

6.2 Inventory Management

This will be a running change.

7 Contact Information

Headquarters Ezurio
 50 S Main St., Suite 1100
 Akron, OH 44308 USA
 Tel: 1(330) 434-7929
 Fax: 1(330) 434-7931

Website www.ezurio.com

Sales / Support Contact <https://www.ezurio.com/contact>

Product Change Notices (PCNs) will be distributed at the discretion Ezurio. Occasionally, Ezurio may adjust product revision levels for internal tracking purposes only, and customers may not receive formal notifications associated with those revision changes.