

Japan Test Report


Equipment : 802.11ax Wi-Fi 6 + BT5.4 Module
Model No. : Veda IF912
Brand Name : Ezurio
Applicant : Ezurio LLC
Address : W66N220 Commerce Court, Cedarburg, WI
53012 United States Of America
Standard : Article 2 Paragraph 1 Item 19
Received Date : Jan. 12, 2026
Tested Date : Mar. 07 ~ Mar. 09, 2026

Measurement was conducted by the following test method:
the test method of Ordinance Concerning Technical Regulations Conformity Certification
etc. of Specified Radio Equipment in Annex 1, the Ministry of Internal Affairs and
Communications notification in Annex "43" of Article 88, Paragraph 1.

We, International Certification Corporation, would like to declare that the tested sample has
been evaluated and in compliance with the requirement of the above standards. The test
results contained in this report refer exclusively to the product. It shall not be reproduced
except in full without the written approval of our laboratory.

Reviewed by:

Approved by:


Alex Huang / Supervisor



Gary Chang / Manager

Table of Contents

1	GENERAL DESCRIPTION	5
1.1	Information.....	5
1.2	Test Equipment and Calibration Data	7
1.3	Testing Applied Standards	8
1.4	Deviation from Test Standard and Measurement Procedure.....	8
1.5	Measurement Uncertainty	8
2	TEST CONFIGURATION.....	9
2.1	Testing Location and Conditions	9
2.2	Testing Facility	9
2.3	Supporting Units.....	9
2.4	The Worst Test Modes and Channel Details	9
3	TRANSMITTER TEST RESULTS	10
3.1	Antenna Power	10
3.2	Frequency Tolerance	11
3.3	Occupied Bandwidth	12
3.4	Transmitter Spurious Emissions.....	13
3.5	Interference Prevention Function	14
4	RECEIVER TEST RESULTS	15
4.1	Receiver Spurious Emissions.....	15
5	TEST LABORATORY INFORMATION	16
Appendix A. Antenna Power		
Appendix B. Frequency Tolerance		
Appendix C. Occupied Bandwidth		
Appendix D. Transmitter Spurious Emissions		
Appendix E. Interference Prevention Function		
Appendix F. Receiver Spurious Emissions		

Release Record

Report No.	Version	Description	Issued Date
JR611203AE	Rev. 01	Initial issue	Jun. 15, 2026

Summary of Test Results

Ref. Std. Clause	Description	Result
3.2(2)(3)	Antenna Power	Pass
3.2(4)	Frequency Tolerance	Pass
3.2(6)	Transmitter Spurious Emission	Pass
3.2(7)	Occupied Bandwidth	Pass
3.3(1)	Receiver Emission	Pass
3.4.1	Interference prevention function	Pass

Declaration of Conformity:

The test results with all measurement uncertainty excluded are presented in accordance with the regulation limits or requirements declared by manufacturers.

Comments and Explanations:

The declared of product specification for EUT presented in the report are provided by the manufacturer, and the manufacturer takes all the responsibilities for the accuracy of product specification.

1 General Description

1.1 Information

Model Name	Part No.	Product Name	Description
Veda IF912	453-00396	802.11ax Wi-Fi 6 + BT5.4 Module	Module, Veda IF912, SIP, Tri Band, No Embedded Memory, RF Trace Pin
	453-00397		Module, Veda IF912, SIP, Tri Band, Embedded Ext. Memory, 8M PSRAM, 8M Flash, RF Trace Pin
✦ Part no. 453-00397 was selected as representative for the final test; therefore, only its data is recorded in this report.			

1.1.1 Specification of the Equipment under Test (EUT)

Power Type	3.3Vdc from host
Type(s) of Modulation / Technology	GFSK = 125kbps / 500kbps / 1Mbps / 2Mbps
Frequency Range (MHz)	2402 ~ 2480 MHz
Total Channel Number	40
HW Version	Rev 1
SW Version	6.12.72

1.1.2 Accessories

N/A

1.1.3 Antenna Details

External Antenna

Brand / Model	Part Number	Type	Connector	Antenna Gain (dBi)
Ezurio / FlexMIMO 6E	EFD2471A3S-10MH4L	PIFA	MHF4L	2.2
Ezurio / FlexPIFA 6E	EFB2471A3S-10MH4L	PIFA	MHF4L	2.2
Ezurio / Mini NanoBlade Flex 6GHz	EMF2471A3S-10MH4L	PCB Dipole	MHF4L	2.4
Joymax Electronics / Dipole 6E	TWX-100BRS3B	Dipole	RP-SMA	2
Ezurio / FlexPIFA Dual Band	001-0021	PIFA	IPEX MHF4L	2.5
Ezurio / FlexPIFA Dual Band	EFB2455A3S-15MH4L	PIFA	MHF1	2.5

Note: Please refer to antenna report for more details about antenna pattern and other information.

Integrated Antenna

Brand / Model	Part Number	Type	Connector	Antenna Gain (dBi)
Yageo / Chip Antenna	ANT1608LL14R2460A	Chip	NA	2.3

Note: Please refer to antenna report for more details about antenna pattern and other information.

1.1.4 Antenna Power

Operating Mode	Rated Power (mW)	Measured Conducted Power (mW)	Radiated Power (mW)
BT-LE-125kbps	5	4.977	8.851
BT-LE-500kbps	5	4.977	8.851
BT-LE-1Mbps	5	4.989	8.872
BT-LE-2Mbps	5	4.977	8.851

1.1.5 Channel List

Frequency band (MHz)				2400~2483.5			
Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
37	2402	9	2422	18	2442	28	2462
0	2404	10	2424	19	2444	29	2464
1	2406	38	2426	20	2446	30	2466
2	2408	11	2428	21	2448	31	2468
3	2410	12	2430	22	2450	32	2470
4	2412	13	2432	23	2452	33	2472
5	2414	14	2434	24	2454	34	2474
6	2416	15	2436	25	2456	35	2476
7	2418	16	2438	26	2458	36	2478
8	2420	17	2440	27	2460	39	2480

1.1.6 Test Tool and Power Index

Test Tool
AIROCBTBluetoothTool, Version: 1.2.0.2890

Power Index				
Modulation Mode	Test Frequency (MHz)			
	BT-LE-125kbps	BT-LE-500kbps	BT-LE-1Mbps	BT-LE-2Mbps
2402	Default	Default	Default	Default
2440	Default	Default	Default	Default
2480	Default	Default	Default	Default

1.1.7 Test Voltage

Test Voltage	☒ Vnom (3.3 Vdc)	☒ Vmax (3.6 Vdc)	☒ Vmin (3 Vdc)
--------------	--	--	--

1.1.8 Protection Method for High Frequency and Modulation Section

Protected Method	Description
Shielding Case	RF and Modulation components are covered with shielding case and this shielding case is soldered

1.2 Test Equipment and Calibration Data

Test Item	RF Conducted						
Test Site	(TH01-WS)						
Tested Date	Mar. 07 ~ Mar. 09, 2026						
Instrument	Brand	Model No.	Serial No.	Calibration Date	Calibration Until	Calibration Authority	Calibration Method
Spectrum Analyzer	R&S	FSV40	101910	Apr. 18, 2025	Apr. 17, 2026	ETC	(C)
DC POWER SOURCE	GW INSTEK	GPE-6030	GEZ824073	Oct. 27, 2025	Oct. 26, 2026	ETC	(C)
Power Sensor	Anritsu	MA2411B	1207367	Feb. 04, 2026	Feb. 03, 2027	ETC	(C)
Power Meter	Anritsu	ML2495A	1218007	Feb. 04, 2026	Feb. 03, 2027	ETC	(C)
Measurement Software	Sporton	SENSE	5.10.7	NA	NA	N/A	N/A

Note 1: Calibration Interval of instruments listed above is one year.

Note 2: Calibration Method

- Calibration conducted by the National Institute of Information and Communications Technology(NICT) or a designated calibration agency under Article 102-18 paragraph (1) of the Radio Law.
- Calibration conducted pursuant to the provisions of Article 135 or Article 144 of the Measurement Law (Law No. 51 of 1992) Japan Calibration Service System.
- Calibration conducted in foreign countries, which shall be equivalent to the calibration conducted by the NICT or a designated calibration agency under Article 102-18 paragraph (1).
- Calibration conducted by using other equipment that listed above from a) to c).

1.3 Testing Applied Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

Article 2 Paragraph 1 Item 19

1.4 Deviation from Test Standard and Measurement Procedure

None

1.5 Measurement Uncertainty

The measurement uncertainties given below are based on a 95% confidence level (based on a coverage factor ($k=2$)).

Measurement Uncertainty	
Parameters	Uncertainty
Bandwidth	± 34.139 Hz
Conducted power	± 0.808 dB
Frequency error	$\pm 1 \times 10^{-9}$
TX Conducted emission	± 2.680 dB
RX Conducted emission	± 3.034 dB

2 Test Configuration

2.1 Testing Location and Conditions

Test Site	Site Category	Ambient Condition	Tested By
TH01-WS	OVEN Room	20.2°C / 61%	Alan Tang

2.2 Testing Facility

Test Laboratory	International Certification Corporation
Test Site	TH01-WS
Address of Test Site	No.3-1, Lane 6, Wen San 3rd St., Kwei Shan Dist., Tao Yuan City 33381, Taiwan (R.O.C.)

2.3 Supporting Units

Support Unit	Brand	Model	FCC ID
Laptop	DELL	Latitude 5440	DoC

2.4 The Worst Test Modes and Channel Details

Test item	Mode	Test Frequency (MHz)
Antenna Power Frequency Tolerance Occupied Bandwidth Transmitter Spurious Emission Interference prevention function Receiver Spurious Emissions	BT-LE-125kbps BT-LE-500kbps BT-LE-1Mbps BT-LE-2Mbps	2402 / 2440 / 2480

3 Transmitter Test Results

3.1 Antenna Power


3.1.1 Limit of Antenna Power

Spread Spectrum Method	Frequency Range	Limit	Tolerance
1) FHSS (compound method with DSSS or OFDM)	2427 ~ 2470.75 MHz	3 mW / MHz	+20 %
	2400 ~ 2483.5 MHz (except 2427 ~2470.75MHz)	10 mW/MHz	
2) DSSS	2400 ~ 2483.5 MHz	10 mW / MHz	
3) OFDM (OBW with 26 MHz)	2400 ~ 2483.5 MHz	10 mW / MHz	
4) OFDM (OWB with 26 ~ 40MHz)	2400 ~ 2483.5 MHz	5 mW / MHz	
5) Other method (Except SS & OFDM)	2400 ~ 2483.5 MHz	10mW	

3.1.2 Test Procedures

Measure the total power by Power Meter

3.1.3 Test Setup



3.1.4 Test Results

Refer to Appendix A.

3.2 Frequency Tolerance


3.2.1 Limit of Frequency Tolerance

Frequency tolerance shall be +/- 50ppm.

3.2.2 Test Procedures

1. Set Span = 10 MHz, RBW = 100 kHz, VBW = 300 kHz, Sweep time = Auto, detector = Peak for 2Mbps
Set Span = 5 MHz, RBW = 100 kHz, VBW = 300 kHz, Sweep time = Auto, detector = Peak for other data rates
2. The peak value of the power envelope shall be measured and noted.
3. The span shall be reduced and the marker moved in a positive frequency increment until the upper, (relative to the centre frequency), -10 dBc point is reached. This value shall be noted as f1.
The marker shall then be moved in a negative frequency increment until the lower, (relative to the centre frequency), -10 dBc point is reached. This value shall be noted as f2.
The Measurement Frequency is calculated as $(f1 + f2) / 2$.
4. $FT(ppm) = \{ (MF - CF) / CF \} \times 1000000$
(FT: Frequency Tolerance, MF: Measurement Frequency, CF: Centre Frequency.)

3.2.3 Test Setup



3.2.4 Test Results

Refer to Appendix B.

3.3 Occupied Bandwidth


3.3.1 Limit of Occupied Bandwidth

Spread Spectrum Method	Limit (MHz)
FHSS (compound method with DSSS or OFDM)	83.5
DSSS	26
OFDM(Narrow bandwidth)	26
OFDM(Wide bandwidth)	26 ~ 40
Other method (Except SS & OFDM)	26

3.3.2 Test Procedures

1. Set Span = 40MHz, RBW = VBW = 300kHz, detector = Peak, Sweep time = Auto.
2. Enable OBW function of spectrum analyzer to measure OBW and capture test plot.

3.3.3 Test Setup



3.3.4 Test Results

Refer to Appendix C.

3.4 Transmitter Spurious Emissions


3.4.1 Limit of Transmitter Spurious Emissions

Item	Limits
Tx Spurious Emission	$\leq 2.5 \mu\text{W} / \text{MHz}$ ($2387\text{MHz} > f ; 2496.5\text{MHz} < f$).
	$\leq 25 \mu\text{W} / \text{MHz}$ ($2387\text{MHz} \leq f < 2400\text{MHz}$) and ($2483.5\text{MHz} < f \leq 2496.5\text{MHz}$).

3.4.2 Test Procedures

1. Set EUT to transmit at rated power and channel to perform test.
2. Set RBW = VBW = 1MHz, Detector type = Peak, Sweep time = Auto.
3. Following above setting of spectrum analyzer to measure spurious emission of 30~12500 MHz.

3.4.3 Test Setup



3.4.4 Test Results

Refer to Appendix D.

3.5 Interference Prevention Function


3.5.1 Limit of Interference Prevention Function

Limits
The identification code shall be 48 bits long

3.5.2 Test Procedures

1. Set EUT under operating mode and link up with companion equipment
2. Check communication status between EUT and companion equipment is normal
3. Confirm the MAC address of EUT

3.5.3 Test Setup



3.5.4 Test Results

Refer to Appendix E.

4 Receiver Test Results

4.1 Receiver Spurious Emissions


4.1.1 Limit of Receiver Spurious Emissions

Item	Limits
Rx Spurious Emission	$\leq 4\text{nW}$ ($f < 1\text{GHz}$).
	$\leq 20\text{nW}$ ($1\text{GHz} \leq f$).

4.1.2 Test Procedures

1. Set EUT under receiving condition to perform test
2. Set RBW = VBW = 100kHz, detector = Peak, Sweep time = Auto for emission measurement below 1GHz.
3. Set RBW = VBW=1MHz, detector = Peak, Sweep time = Auto for emission measurement above 1GHz.

4.1.3 Test Setup



4.1.4 Test Results

Refer to Appendix F.

5 Test laboratory information

Established in 2012, ICC provides foremost EMC & RF Testing and advisory consultation services by our skilled engineers and technicians. Our services employ a wide variety of advanced edge test equipment and one of the widest certification extents in the business.

International Certification Corporation (EMC and Wireless Communication Laboratory), it is our definitive objective is to institute long term, trust-based associations with our clients. The expectation we set up with our clients is based on outstanding service, practical expertise and devotion to a certified value structure. Our passion is to grant our clients with best EMC / RF services by oriented knowledgeable and accommodating staff.

Our Test sites are located at Linkou District and Kwei Shan District. Location map can be found on our website <https://www.icertifi.com.tw>.

Linkou

Tel: 886-2-2601-1640

No.30-2, Ding Fwu Tsuen, Lin Kou
District, New Taipei City, Taiwan
(R.O.C.)

Kwei Shan

Tel: 886-3-271-8666

No.3-1, Lane 6, Wen San 3rd
St., Kwei Shan Dist., Tao Yuan
City 33381, Taiwan (R.O.C.)
No.2-1, Lane 6, Wen San 3rd
St., Kwei Shan Dist., Tao Yuan
City 33381, Taiwan (R.O.C.)

Kwei Shan Site II

Tel: 886-3-271-8640

No.14-1, Lane 19, Wen San 3rd
St., Kwei Shan Dist., Tao Yuan
City 33381, Taiwan (R.O.C.)

Zhonghe

Tel: 886-2-2222-0288

1F, No. 6, Jiankang Road, Zhonghe
District, New Taipei City 235045,
Taiwan (R.O.C.)

If you have any suggestion, please feel free to contact us as below information.

Tel: 886-3-271-8666

Fax: 886-3-318-0345

Email: ICC_Service@icertifi.com.tw

==END==

**Summary**

Mode	Result	Power (dBm)	Power (mW)	Declare (mW)	Tolerance (%)	Limit+ (%)	Limit- (%)
2.4-2.4835GHz	-	-	-	-	-	-	-
BT-LE(125kbps)	Pass	6.97	4.977	5	-0.45	20	-Inf

Inf = There's no restriction for the limit.

Result

Mode	Result	Power (dBm)	Power (mW)	Declare (mW)	Tolerance (%)	Limit+ (%)	Limit- (%)
BT-LE(125kbps)	-	-	-	-	-	-	-
2402MHz_TnomVnom	Pass	6.97	4.977	5	-0.45	20	-Inf
2402MHz_TnomVmin	Pass	6.95	4.955	5	-0.91	20	-Inf
2402MHz_TnomVmax	Pass	6.96	4.966	5	-0.68	20	-Inf
2440MHz_TnomVnom	Pass	6.54	4.508	5	-9.84	20	-Inf
2440MHz_TnomVmin	Pass	6.55	4.519	5	-9.63	20	-Inf
2440MHz_TnomVmax	Pass	6.53	4.498	5	-10.04	20	-Inf
2480MHz_TnomVnom	Pass	5.57	3.606	5	-27.88	20	-Inf
2480MHz_TnomVmin	Pass	5.56	3.597	5	-28.05	20	-Inf
2480MHz_TnomVmax	Pass	5.58	3.614	5	-27.72	20	-Inf

Inf = There's no restriction for the limit.

**Summary**

Mode	Result	Power (dBm)	Power (mW)	Declare (mW)	Tolerance (%)	Limit+ (%)	Limit- (%)
2.4-2.4835GHz	-	-	-	-	-	-	-
BT-LE(500kbps)	Pass	6.97	4.977	5	-0.45	20	-Inf

Inf = There's no restriction for the limit.

Result

Mode	Result	Power (dBm)	Power (mW)	Declare (mW)	Tolerance (%)	Limit+ (%)	Limit- (%)
BT-LE(500kbps)	-	-	-	-	-	-	-
2402MHz_TnomVnom	Pass	6.96	4.966	5	-0.68	20	-Inf
2402MHz_TnomVmin	Pass	6.95	4.955	5	-0.91	20	-Inf
2402MHz_TnomVmax	Pass	6.97	4.977	5	-0.45	20	-Inf
2440MHz_TnomVnom	Pass	6.53	4.498	5	-10.04	20	-Inf
2440MHz_TnomVmin	Pass	6.54	4.508	5	-9.84	20	-Inf
2440MHz_TnomVmax	Pass	6.52	4.487	5	-10.25	20	-Inf
2480MHz_TnomVnom	Pass	5.57	3.606	5	-27.88	20	-Inf
2480MHz_TnomVmin	Pass	5.55	3.589	5	-28.22	20	-Inf
2480MHz_TnomVmax	Pass	5.56	3.597	5	-28.05	20	-Inf

Inf = There's no restriction for the limit.

**Summary**

Mode	Result	Power (dBm)	Power (mW)	Declare (mW)	Tolerance (%)	Limit+ (%)	Limit- (%)
2.4-2.4835GHz	-	-	-	-	-	-	-
BT-LE(1Mbps)	Pass	6.98	4.989	5	-0.22	20	-Inf

Inf = There's no restriction for the limit.

Result

Mode	Result	Power (dBm)	Power (mW)	Declare (mW)	Tolerance (%)	Limit+ (%)	Limit- (%)
BT-LE(1Mbps)	-	-	-	-	-	-	-
2402MHz_TnomVnom	Pass	6.97	4.977	5	-0.45	20	-Inf
2402MHz_TnomVmin	Pass	6.98	4.989	5	-0.22	20	-Inf
2402MHz_TnomVmax	Pass	6.96	4.966	5	-0.68	20	-Inf
2440MHz_TnomVnom	Pass	6.55	4.519	5	-9.63	20	-Inf
2440MHz_TnomVmin	Pass	6.53	4.498	5	-10.04	20	-Inf
2440MHz_TnomVmax	Pass	6.54	4.508	5	-9.84	20	-Inf
2480MHz_TnomVnom	Pass	5.56	3.597	5	-28.05	20	-Inf
2480MHz_TnomVmin	Pass	5.55	3.589	5	-28.22	20	-Inf
2480MHz_TnomVmax	Pass	5.57	3.606	5	-27.88	20	-Inf

Inf = There's no restriction for the limit.

**Summary**

Mode	Result	Power (dBm)	Power (mW)	Declare (mW)	Tolerance (%)	Limit+ (%)	Limit- (%)
2.4-2.4835GHz	-	-	-	-	-	-	-
BT-LE(2Mbps)	Pass	6.97	4.977	5	-0.45	20	-Inf

Inf = There's no restriction for the limit.

Result

Mode	Result	Power (dBm)	Power (mW)	Declare (mW)	Tolerance (%)	Limit+ (%)	Limit- (%)
BT-LE(2Mbps)	-	-	-	-	-	-	-
2402MHz_TnomVnom	Pass	6.95	4.955	5	-0.91	20	-Inf
2402MHz_TnomVmin	Pass	6.96	4.966	5	-0.68	20	-Inf
2402MHz_TnomVmax	Pass	6.97	4.977	5	-0.45	20	-Inf
2440MHz_TnomVnom	Pass	6.53	4.498	5	-10.04	20	-Inf
2440MHz_TnomVmin	Pass	6.54	4.508	5	-9.84	20	-Inf
2440MHz_TnomVmax	Pass	6.52	4.487	5	-10.25	20	-Inf
2480MHz_TnomVnom	Pass	5.58	3.614	5	-27.72	20	-Inf
2480MHz_TnomVmin	Pass	5.56	3.597	5	-28.05	20	-Inf
2480MHz_TnomVmax	Pass	5.57	3.606	5	-27.88	20	-Inf

Inf = There's no restriction for the limit.

Summary

Mode	Power (dBm)	Power (mW)	EIRP (dBm)	EIRP (mW)
2.4-2.4835GHz	-	-	-	-
BT-LE(125kbps)	6.97	4.977	9.47	8.851

Result

Mode	Result	Gain (dBi)	Power (dBm)	Power (mW)	Power Lim. (mW)	EIRP (dBm)	EIRP (mW)	EIRP Lim. (mW)
BT-LE(125kbps)	-	-	-	-	-	-	-	-
2402MHz_TnomVnom	Pass	2.50	6.97	4.977	10	9.47	8.851	16.368
2402MHz_TnomVmin	Pass	2.50	6.95	4.955	10	9.45	8.810	16.368
2402MHz_TnomVmax	Pass	2.50	6.96	4.966	10	9.46	8.831	16.368
2440MHz_TnomVnom	Pass	2.50	6.54	4.508	10	9.04	8.017	16.368
2440MHz_TnomVmin	Pass	2.50	6.55	4.519	10	9.05	8.035	16.368
2440MHz_TnomVmax	Pass	2.50	6.53	4.498	10	9.03	7.998	16.368
2480MHz_TnomVnom	Pass	2.50	5.57	3.606	10	8.07	6.412	16.368
2480MHz_TnomVmin	Pass	2.50	5.56	3.597	10	8.06	6.397	16.368
2480MHz_TnomVmax	Pass	2.50	5.58	3.614	10	8.08	6.427	16.368

Summary

Mode	Power (dBm)	Power (mW)	EIRP (dBm)	EIRP (mW)
2.4-2.4835GHz	-	-	-	-
BT-LE(500kbps)	6.97	4.977	9.47	8.851

Result

Mode	Result	Gain (dBi)	Power (dBm)	Power (mW)	Power Lim. (mW)	EIRP (dBm)	EIRP (mW)	EIRP Lim. (mW)
BT-LE(500kbps)	-	-	-	-	-	-	-	-
2402MHz_TnomVnom	Pass	2.50	6.96	4.966	10	9.46	8.831	16.368
2402MHz_TnomVmin	Pass	2.50	6.95	4.955	10	9.45	8.810	16.368
2402MHz_TnomVmax	Pass	2.50	6.97	4.977	10	9.47	8.851	16.368
2440MHz_TnomVnom	Pass	2.50	6.53	4.498	10	9.03	7.998	16.368
2440MHz_TnomVmin	Pass	2.50	6.54	4.508	10	9.04	8.017	16.368
2440MHz_TnomVmax	Pass	2.50	6.52	4.487	10	9.02	7.980	16.368
2480MHz_TnomVnom	Pass	2.50	5.57	3.606	10	8.07	6.412	16.368
2480MHz_TnomVmin	Pass	2.50	5.55	3.589	10	8.05	6.383	16.368
2480MHz_TnomVmax	Pass	2.50	5.56	3.597	10	8.06	6.397	16.368

Summary

Mode	Power (dBm)	Power (mW)	EIRP (dBm)	EIRP (mW)
2.4-2.4835GHz	-	-	-	-
BT-LE(1Mbps)	6.98	4.989	9.48	8.872

Result

Mode	Result	Gain (dBi)	Power (dBm)	Power (mW)	Power Lim. (mW)	EIRP (dBm)	EIRP (mW)	EIRP Lim. (mW)
BT-LE(1Mbps)	-	-	-	-	-	-	-	-
2402MHz_TnomVnom	Pass	2.50	6.97	4.977	10	9.47	8.851	16.368
2402MHz_TnomVmin	Pass	2.50	6.98	4.989	10	9.48	8.872	16.368
2402MHz_TnomVmax	Pass	2.50	6.96	4.966	10	9.46	8.831	16.368
2440MHz_TnomVnom	Pass	2.50	6.55	4.519	10	9.05	8.035	16.368
2440MHz_TnomVmin	Pass	2.50	6.53	4.498	10	9.03	7.998	16.368
2440MHz_TnomVmax	Pass	2.50	6.54	4.508	10	9.04	8.017	16.368
2480MHz_TnomVnom	Pass	2.50	5.56	3.597	10	8.06	6.397	16.368
2480MHz_TnomVmin	Pass	2.50	5.55	3.589	10	8.05	6.383	16.368
2480MHz_TnomVmax	Pass	2.50	5.57	3.606	10	8.07	6.412	16.368

Summary

Mode	Power (dBm)	Power (mW)	EIRP (dBm)	EIRP (mW)
2.4-2.4835GHz	-	-	-	-
BT-LE(2Mbps)	6.97	4.977	9.47	8.851

Result

Mode	Result	Gain (dBi)	Power (dBm)	Power (mW)	Power Lim. (mW)	EIRP (dBm)	EIRP (mW)	EIRP Lim. (mW)
BT-LE(2Mbps)	-	-	-	-	-	-	-	-
2402MHz_TnomVnom	Pass	2.50	6.95	4.955	10	9.45	8.810	16.368
2402MHz_TnomVmin	Pass	2.50	6.96	4.966	10	9.46	8.831	16.368
2402MHz_TnomVmax	Pass	2.50	6.97	4.977	10	9.47	8.851	16.368
2440MHz_TnomVnom	Pass	2.50	6.53	4.498	10	9.03	7.998	16.368
2440MHz_TnomVmin	Pass	2.50	6.54	4.508	10	9.04	8.017	16.368
2440MHz_TnomVmax	Pass	2.50	6.52	4.487	10	9.02	7.980	16.368
2480MHz_TnomVnom	Pass	2.50	5.58	3.614	10	8.08	6.427	16.368
2480MHz_TnomVmin	Pass	2.50	5.56	3.597	10	8.06	6.397	16.368
2480MHz_TnomVmax	Pass	2.50	5.57	3.606	10	8.07	6.412	16.368

**Summary**

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
2.4-2.4835GHz	-	-	-	-	-	-	-
BT-LE(125kbps)	Pass	2.48G	2.479966562G	-13.4829	±50	1	-

Result

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
BT-LE(125kbps)	-	-	-	-	-	-	-
2402MHz_TnomVnom	Pass	2.402G	2.401991562G	-3.5127	±50	1	-
2402MHz_TnomVmin	Pass	2.402G	2.401988438G	-4.8137	±50	1	-
2402MHz_TnomVmax	Pass	2.402G	2.401991562G	-3.5127	±50	1	-
2440MHz_TnomVnom	Pass	2.44G	2.439984688G	-6.2756	±50	1	-
2440MHz_TnomVmin	Pass	2.44G	2.439983438G	-6.7879	±50	1	-
2440MHz_TnomVmax	Pass	2.44G	2.43998125G	-7.6844	±50	1	-
2480MHz_TnomVnom	Pass	2.48G	2.479975G	-10.0806	±50	1	-
2480MHz_TnomVmin	Pass	2.48G	2.479966562G	-13.4829	±50	1	-
2480MHz_TnomVmax	Pass	2.48G	2.479969688G	-12.2228	±50	1	-




2.4-2.4835GHz_BT-LE(125kbps)

Freq. Stability-DTS

2402MHz_TnomVnom

07/03/2026




2.4-2.4835GHz_BT-LE(125kbps)

Freq. Stability-DTS

2402MHz_TnomVmin

07/03/2026






2.4-2.4835GHz_BT-LE(125kbps)

Freq. Stability-DTS

2402MHz_TnomVmax

07/03/2026

CF (Hz)
2.402G
Span (Hz)
5M
RBW (Hz)
100k
VBW (Hz)
300k
Sweep Time (s)
8.01m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.402G	2.401991562G	2.40158125G	2.402401875G	-3.5127	±50	1	-


2.4-2.4835GHz_BT-LE(125kbps)

Freq. Stability-DTS

2440MHz_TnomVnom

07/03/2026

CF (Hz)
2.44G
Span (Hz)
5M
RBW (Hz)
100k
VBW (Hz)
300k
Sweep Time (s)
8.01m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.44G	2.439984688G	2.439575625G	2.44039375G	-6.2756	±50	1	-




2.4-2.4835GHz_BT-LE(125kbps)

Freq. Stability-DTS

2440MHz_TnomVmin

07/03/2026

CF (Hz)
2.44G
Span (Hz)
5M
RBW (Hz)
100k
VBW (Hz)
300k
Sweep Time (s)
8.01m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.44G	2.439983438G	2.43957375G	2.440393125G	-6.7879	±50	1	-


2.4-2.4835GHz_BT-LE(125kbps)

Freq. Stability-DTS

2440MHz_TnomVmax

07/03/2026

CF (Hz)
2.44G
Span (Hz)
5M
RBW (Hz)
100k
VBW (Hz)
300k
Sweep Time (s)
8.01m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.44G	2.43998125G	2.43956625G	2.44039625G	-7.6844	±50	1	-




2.4-2.4835GHz_BT-LE(125kbps)

Freq. Stability-DTS

2480MHz_TnomVnom

07/03/2026

CF (Hz)
2.48G
Span (Hz)
5M
RBW (Hz)
100k
VBW (Hz)
300k
Sweep Time (s)
8.01m
Detector Type
Peak



Port 1

Ch(Hz)	Center(Hz)	F1(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.48G	2.479975G	2.479561875G	2.480388125G	-10.0806	±50	1	-


2.4-2.4835GHz_BT-LE(125kbps)

Freq. Stability-DTS

2480MHz_TnomVmin

07/03/2026

CF (Hz)
2.48G
Span (Hz)
5M
RBW (Hz)
100k
VBW (Hz)
300k
Sweep Time (s)
8.01m
Detector Type
Peak



Port 1

Ch(Hz)	Center(Hz)	F1(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.48G	2.479966562G	2.479545625G	2.4803875G	-13.4829	±50	1	-




2.4-2.4835GHz_BT-LE(125kbps)

Freq. Stability-DTS

2480MHz_TnomVmax

07/03/2026



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.48G	2.479969688G	2.4795525G	2.480386875G	-12.2228	±50	1	-

**Summary**

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
2.4-2.4835GHz	-	-	-	-	-	-	-
BT-LE(500kbps)	Pass	2.48G	2.479974062G	-10.4587	±50	1	-

Result

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
BT-LE(500kbps)	-	-	-	-	-	-	-
2402MHz_TnomVnom	Pass	2.402G	2.401989375G	-4.4234	±50	1	-
2402MHz_TnomVmin	Pass	2.402G	2.401992812G	-2.9923	±50	1	-
2402MHz_TnomVmax	Pass	2.402G	2.401993125G	-2.8622	±50	1	-
2440MHz_TnomVnom	Pass	2.44G	2.43998375G	-6.6598	±50	1	-
2440MHz_TnomVmin	Pass	2.44G	2.439984375G	-6.4037	±50	1	-
2440MHz_TnomVmax	Pass	2.44G	2.439981875G	-7.4283	±50	1	-
2480MHz_TnomVnom	Pass	2.48G	2.479974062G	-10.4587	±50	1	-
2480MHz_TnomVmin	Pass	2.48G	2.479975938G	-9.7026	±50	1	-
2480MHz_TnomVmax	Pass	2.48G	2.479974688G	-10.2067	±50	1	-




2.4-2.4835GHz_BT-LE(500kbps)

Freq. Stability-DTS

2402MHz_TnomVnom

07/03/2026




2.4-2.4835GHz_BT-LE(500kbps)

Freq. Stability-DTS

2402MHz_TnomVmin

07/03/2026






2.4-2.4835GHz_BT-LE(500kbps)

Freq. Stability-DTS

2402MHz_TnomVmax

07/03/2026

CF (Hz)
2.402G
Span (Hz)
5M
RBW (Hz)
100k
VBW (Hz)
300k
Sweep Time (s)
8.01m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.402G	2.401993125G	2.40154625G	2.40244G	-2.8622	±50	1	-


2.4-2.4835GHz_BT-LE(500kbps)

Freq. Stability-DTS

2440MHz_TnomVnom

07/03/2026

CF (Hz)
2.44G
Span (Hz)
5M
RBW (Hz)
100k
VBW (Hz)
300k
Sweep Time (s)
8.01m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.44G	2.43998375G	2.439541875G	2.440425625G	-6.6598	±50	1	-




2.4-2.4835GHz_BT-LE(500kbps)

Freq. Stability-DTS

2440MHz_TnomVmin

07/03/2026

CF (Hz)
2.44G
Span (Hz)
5M
RBW (Hz)
100k
VBW (Hz)
300k
Sweep Time (s)
8.01m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F1(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.44G	2.439984375G	2.43954125G	2.4404275G	-6.4037	±50	1	-


2.4-2.4835GHz_BT-LE(500kbps)

Freq. Stability-DTS

2440MHz_TnomVmax

07/03/2026

CF (Hz)
2.44G
Span (Hz)
5M
RBW (Hz)
100k
VBW (Hz)
300k
Sweep Time (s)
8.01m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F1(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.44G	2.439981875G	2.439540625G	2.440423125G	-7.4283	±50	1	-




2.4-2.4835GHz_BT-LE(500kbps)

Freq. Stability-DTS

2480MHz_TnomVnom

07/03/2026

CF (Hz)
2.48G
Span (Hz)
5M
RBW (Hz)
100k
VBW (Hz)
300k
Sweep Time (s)
8.01m
Detector Type
Peak



Port 1

Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.48G	2.479974062G	2.479533125G	2.480415G	-10.4587	±50	1	-


2.4-2.4835GHz_BT-LE(500kbps)

Freq. Stability-DTS

2480MHz_TnomVmin

07/03/2026

CF (Hz)
2.48G
Span (Hz)
5M
RBW (Hz)
100k
VBW (Hz)
300k
Sweep Time (s)
8.01m
Detector Type
Peak



Port 1

Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.48G	2.479975938G	2.47953125G	2.480420625G	-9.7026	±50	1	-




2.4-2.4835GHz_BT-LE(500kbps)

Freq. Stability-DTS

2480MHz_TnomVmax

07/03/2026



Ch(Hz)	Center(Hz)	F1(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.48G	2.479974688G	2.4795325G	2.480416875G	-10.2067	±50	1	-

**Summary**

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
2.4-2.4835GHz	-	-	-	-	-	-	-
BT-LE(1Mbps)	Pass	2.48G	2.4799775G	-9.0726	±50	1	-

Result

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
BT-LE(1Mbps)	-	-	-	-	-	-	-
2402MHz_TnomVnom	Pass	2.402G	2.401993438G	-2.7321	±50	1	-
2402MHz_TnomVmin	Pass	2.402G	2.40199125G	-3.6428	±50	1	-
2402MHz_TnomVmax	Pass	2.402G	2.401991562G	-3.5127	±50	1	-
2440MHz_TnomVnom	Pass	2.44G	2.439985312G	-6.0195	±50	1	-
2440MHz_TnomVmin	Pass	2.44G	2.439985938G	-5.7633	±50	1	-
2440MHz_TnomVmax	Pass	2.44G	2.439985312G	-6.0195	±50	1	-
2480MHz_TnomVnom	Pass	2.48G	2.479978438G	-8.6946	±50	1	-
2480MHz_TnomVmin	Pass	2.48G	2.479979375G	-8.3165	±50	1	-
2480MHz_TnomVmax	Pass	2.48G	2.4799775G	-9.0726	±50	1	-




2.4-2.4835GHz_BT-LE(1Mbps)

Freq. Stability-DTS

2402MHz_TnomVnom

07/03/2026




2.4-2.4835GHz_BT-LE(1Mbps)

Freq. Stability-DTS

2402MHz_TnomVmin

07/03/2026






2.4-2.4835GHz_BT-LE(1Mbps)

Freq. Stability-DTS

2402MHz_TnomVmax

07/03/2026

CF (Hz)
2.402G
Span (Hz)
5M
RBW (Hz)
100k
VBW (Hz)
300k
Sweep Time (s)
8.01m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.402G	2.401991562G	2.401549375G	2.40243375G	-3.5127	±50	1	-


2.4-2.4835GHz_BT-LE(1Mbps)

Freq. Stability-DTS

2440MHz_TnomVnom

07/03/2026

CF (Hz)
2.44G
Span (Hz)
5M
RBW (Hz)
100k
VBW (Hz)
300k
Sweep Time (s)
8.01m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.44G	2.439985312G	2.439538125G	2.4404325G	-6.0195	±50	1	-




2.4-2.4835GHz_BT-LE(1Mbps)

Freq. Stability-DTS

2440MHz_TnomVmin

07/03/2026

CF (Hz)
2.44G
Span (Hz)
5M
RBW (Hz)
100k
VBW (Hz)
300k
Sweep Time (s)
8.01m
Detector Type
Peak



Port 1

Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.44G	2.439985938G	2.439541875G	2.44043G	-5.7633	±50	1	-


2.4-2.4835GHz_BT-LE(1Mbps)

Freq. Stability-DTS

2440MHz_TnomVmax

07/03/2026

CF (Hz)
2.44G
Span (Hz)
5M
RBW (Hz)
100k
VBW (Hz)
300k
Sweep Time (s)
8.01m
Detector Type
Peak



Port 1

Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.44G	2.439985312G	2.43954125G	2.440429375G	-6.0195	±50	1	-




2.4-2.4835GHz_BT-LE(1Mbps)

Freq. Stability-DTS

2480MHz_TnomVnom

07/03/2026




Ch(Hz)	Center(Hz)	Ff(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.48G	2.479978438G	2.47953375G	2.480423125G	-8.6946	±50	1	-

2.4-2.4835GHz_BT-LE(1Mbps)

Freq. Stability-DTS

2480MHz_TnomVmin

07/03/2026



Ch(Hz)	Center(Hz)	Ff(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.48G	2.479979375G	2.479535625G	2.480423125G	-8.3165	±50	1	-




2.4-2.4835GHz_BT-LE(1Mbps)

Freq. Stability-DTS

2480MHz_TnomVmax

07/03/2026



Ch(Hz)	Center(Hz)	F1(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.48G	2.4799775G	2.479533125G	2.480421875G	-9.0726	±50	1	-

**Summary**

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
2.4-2.4835GHz	-	-	-	-	-	-	-
BT-LE(2Mbps)	Pass	2.48G	2.479989375G	-4.2843	±50	1	-

Result

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
BT-LE(2Mbps)	-	-	-	-	-	-	-
2402MHz_TnomVnom	Pass	2.402G	2.402005G	2.0816	±50	1	-
2402MHz_TnomVmin	Pass	2.402G	2.40200375G	1.5612	±50	1	-
2402MHz_TnomVmax	Pass	2.402G	2.402005G	2.0816	±50	1	-
2440MHz_TnomVnom	Pass	2.44G	2.439999375G	-0.2561	±50	1	-
2440MHz_TnomVmin	Pass	2.44G	2.439996875G	-1.2807	±50	1	-
2440MHz_TnomVmax	Pass	2.44G	2.439998125G	-0.7684	±50	1	-
2480MHz_TnomVnom	Pass	2.48G	2.479989375G	-4.2843	±50	1	-
2480MHz_TnomVmin	Pass	2.48G	2.47999125G	-3.5282	±50	1	-
2480MHz_TnomVmax	Pass	2.48G	2.479990625G	-3.7802	±50	1	-




2.4-2.4835GHz_BT-LE(2Mbps)

Freq. Stability-DTS

2402MHz_TnomVnom

07/03/2026




2.4-2.4835GHz_BT-LE(2Mbps)

Freq. Stability-DTS

2402MHz_TnomVmin

07/03/2026






2.4-2.4835GHz_BT-LE(2Mbps)

Freq. Stability-DTS

2402MHz_TnomVmax

07/03/2026




2.4-2.4835GHz_BT-LE(2Mbps)

Freq. Stability-DTS

2440MHz_TnomVnom

07/03/2026






2.4-2.4835GHz_BT-LE(2Mbps)

Freq. Stability-DTS

2440MHz_TnomVmin

07/03/2026




2.4-2.4835GHz_BT-LE(2Mbps)

Freq. Stability-DTS

2440MHz_TnomVmax

07/03/2026






2.4-2.4835GHz_BT-LE(2Mbps)

Freq. Stability-DTS

2480MHz_TnomVnom

07/03/2026




2.4-2.4835GHz_BT-LE(2Mbps)

Freq. Stability-DTS

2480MHz_TnomVmin

07/03/2026






2.4-2.4835GHz_BT-LE(2Mbps)

Freq. Stability-DTS

2480MHz_TnomVmax

07/03/2026

CF (Hz)
2.48G
Span (Hz)
10M
RBW (Hz)
100k
VBW (Hz)
300k
Sweep Time (s)
8.01m
Detector Type
Peak



Port 1

Ch(Hz)	Center(Hz)	F1(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.48G	2.479990625G	2.4791625G	2.48081875G	-3.7802	±50	1	-

**Summary**

Mode	Max-OBW (Hz)	ITU-Code	Min-OBW (Hz)
2.4-2.4835GHz	-	-	-
BT-LE(125kbps)	1.34M	1M34F1D	1.332M

Max-OBW = Maximum 99% occupied bandwidth; Min-OBW = Minimum 99% occupied bandwidth;

Result

Mode	Result	Limit (Hz)	P1-OBW (Hz)
BT-LE(125kbps)	-	-	-
2402MHz_TnomVnom	Pass	26M	1.339M
2402MHz_TnomVmin	Pass	26M	1.34M
2402MHz_TnomVmax	Pass	26M	1.34M
2440MHz_TnomVnom	Pass	26M	1.333M
2440MHz_TnomVmin	Pass	26M	1.333M
2440MHz_TnomVmax	Pass	26M	1.333M
2480MHz_TnomVnom	Pass	26M	1.332M
2480MHz_TnomVmin	Pass	26M	1.332M
2480MHz_TnomVmax	Pass	26M	1.332M

P1-OBW = Port 1 99% occupied bandwidth




2.4-2.4835GHz_BT-LE(125kbps)

OBW-DTS

2402MHz_TnomVnom

07/03/2026




2.4-2.4835GHz_BT-LE(125kbps)

OBW-DTS

2402MHz_TnomVmin

07/03/2026






2.4-2.4835GHz_BT-LE(125kbps)

OBW-DTS

2402MHz_TnomVmax

07/03/2026




2.4-2.4835GHz_BT-LE(125kbps)

OBW-DTS

2440MHz_TnomVnom

07/03/2026






2.4-2.4835GHz_BT-LE(125kbps)

OBW-DTS

2440MHz_TnomVmin

07/03/2026




2.4-2.4835GHz_BT-LE(125kbps)

OBW-DTS

2440MHz_TnomVmax

07/03/2026






2.4-2.4835GHz_BT-LE(125kbps)

OBW-DTS

2480MHz_TnomVnom

07/03/2026




2.4-2.4835GHz_BT-LE(125kbps)

OBW-DTS

2480MHz_TnomVmin

07/03/2026






2.4-2.4835GHz_BT-LE(125kbps)

OBW-DTS

2480MHz_TnomVmax

07/03/2026



**Summary**

Mode	Max-OBW (Hz)	ITU-Code	Min-OBW (Hz)
2.4-2.4835GHz	-	-	-
BT-LE(500kbps)	1.295M	1M30F1D	1.294M

Max-OBW = Maximum 99% occupied bandwidth; Min-OBW = Minimum 99% occupied bandwidth;

Result

Mode	Result	Limit (Hz)	P1-OBW (Hz)
BT-LE(500kbps)	-	-	-
2402MHz_TnomVnom	Pass	26M	1.295M
2402MHz_TnomVmin	Pass	26M	1.294M
2402MHz_TnomVmax	Pass	26M	1.295M
2440MHz_TnomVnom	Pass	26M	1.294M
2440MHz_TnomVmin	Pass	26M	1.294M
2440MHz_TnomVmax	Pass	26M	1.294M
2480MHz_TnomVnom	Pass	26M	1.294M
2480MHz_TnomVmin	Pass	26M	1.294M
2480MHz_TnomVmax	Pass	26M	1.294M

P1-OBW = Port 1 99% occupied bandwidth;




2.4-2.4835GHz_BT-LE(500kbps)

OBW-DTS

2402MHz_TnomVnom

07/03/2026




2.4-2.4835GHz_BT-LE(500kbps)

OBW-DTS

2402MHz_TnomVmin

07/03/2026






2.4-2.4835GHz_BT-LE(500kbps)

OBW-DTS

2402MHz_TnomVmax

07/03/2026




2.4-2.4835GHz_BT-LE(500kbps)

OBW-DTS

2440MHz_TnomVnom

07/03/2026






2.4-2.4835GHz_BT-LE(500kbps)

OBW-DTS

2440MHz_TnomVmin

07/03/2026




2.4-2.4835GHz_BT-LE(500kbps)

OBW-DTS

2440MHz_TnomVmax

07/03/2026






2.4-2.4835GHz_BT-LE(500kbps)

OBW-DTS

2480MHz_TnomVnom

07/03/2026




2.4-2.4835GHz_BT-LE(500kbps)

OBW-DTS

2480MHz_TnomVmin

07/03/2026






2.4-2.4835GHz_BT-LE(500kbps)

OBW-DTS

2480MHz_TnomVmax

07/03/2026



**Summary**

Mode	Max-OBW (Hz)	ITU-Code	Min-OBW (Hz)
2.4-2.4835GHz	-	-	-
BT-LE(1Mbps)	1.334M	1M33F1D	1.329M

Max-OBW = Maximum 99% occupied bandwidth; Min-OBW = Minimum 99% occupied bandwidth;

Result

Mode	Result	Limit (Hz)	P1-OBW (Hz)
BT-LE(1Mbps)	-	-	-
2402MHz_TnomVnom	Pass	26M	1.332M
2402MHz_TnomVmin	Pass	26M	1.333M
2402MHz_TnomVmax	Pass	26M	1.334M
2440MHz_TnomVnom	Pass	26M	1.33M
2440MHz_TnomVmin	Pass	26M	1.332M
2440MHz_TnomVmax	Pass	26M	1.333M
2480MHz_TnomVnom	Pass	26M	1.329M
2480MHz_TnomVmin	Pass	26M	1.329M
2480MHz_TnomVmax	Pass	26M	1.329M

P1-OBW = Port 1 99% occupied bandwidth;




2.4-2.4835GHz_BT-LE(1Mbps)

OBW-DTS

2402MHz_TnomVnom

07/03/2026




2.4-2.4835GHz_BT-LE(1Mbps)

OBW-DTS

2402MHz_TnomVmin

07/03/2026






2.4-2.4835GHz_BT-LE(1Mbps)

OBW-DTS

2402MHz_TnomVmax

07/03/2026




2.4-2.4835GHz_BT-LE(1Mbps)

OBW-DTS

2440MHz_TnomVnom

07/03/2026






2.4-2.4835GHz_BT-LE(1Mbps)

OBW-DTS

2440MHz_TnomVmin

07/03/2026




2.4-2.4835GHz_BT-LE(1Mbps)

OBW-DTS

2440MHz_TnomVmax

07/03/2026






2.4-2.4835GHz_BT-LE(1Mbps)

OBW-DTS

2480MHz_TnomVnom

07/03/2026




2.4-2.4835GHz_BT-LE(1Mbps)

OBW-DTS

2480MHz_TnomVmin

07/03/2026






2.4-2.4835GHz_BT-LE(1Mbps)

OBW-DTS

2480MHz_TnomVmax

07/03/2026



**Summary**

Mode	Max-OBW (Hz)	ITU-Code	Min-OBW (Hz)
2.4-2.4835GHz	-	-	-
BT-LE(2Mbps)	2.149M	2M15F1D	2.147M

Max-OBW = Maximum 99% occupied bandwidth; Min-OBW = Minimum 99% occupied bandwidth;

Result

Mode	Result	Limit (Hz)	P1-OBW (Hz)
BT-LE(2Mbps)	-	-	-
2402MHz_TnomVnom	Pass	26M	2.149M
2402MHz_TnomVmin	Pass	26M	2.149M
2402MHz_TnomVmax	Pass	26M	2.149M
2440MHz_TnomVnom	Pass	26M	2.149M
2440MHz_TnomVmin	Pass	26M	2.147M
2440MHz_TnomVmax	Pass	26M	2.149M
2480MHz_TnomVnom	Pass	26M	2.147M
2480MHz_TnomVmin	Pass	26M	2.147M
2480MHz_TnomVmax	Pass	26M	2.147M

P1-OBW = Port 1 99% occupied bandwidth;




2.4-2.4835GHz_BT-LE(2Mbps)

OBW-DTS

2402MHz_TnomVnom

07/03/2026




2.4-2.4835GHz_BT-LE(2Mbps)

OBW-DTS

2402MHz_TnomVmin

07/03/2026






2.4-2.4835GHz_BT-LE(2Mbps)

OBW-DTS

2402MHz_TnomVmax

07/03/2026




2.4-2.4835GHz_BT-LE(2Mbps)

OBW-DTS

2440MHz_TnomVnom

07/03/2026






2.4-2.4835GHz_BT-LE(2Mbps)

OBW-DTS

2440MHz_TnomVmin

07/03/2026




2.4-2.4835GHz_BT-LE(2Mbps)

OBW-DTS

2440MHz_TnomVmax

07/03/2026






2.4-2.4835GHz_BT-LE(2Mbps)

OBW-DTS

2480MHz_TnomVnom

07/03/2026




2.4-2.4835GHz_BT-LE(2Mbps)

OBW-DTS

2480MHz_TnomVmin

07/03/2026






2.4-2.4835GHz_BT-LE(2Mbps)

OBW-DTS

2480MHz_TnomVmax

07/03/2026





Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	Psum (dBm/MHz)	Psum (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-
BT-LE(125kbps)	Pass	2.387G	2.4G	1M	2.4G	-31.28	0.74473	-16.02	25

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	Psum (dBm/MHz)	Psum (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
BT-LE(125kbps)	-	-	-	-	-	-	-	-	-
2402MHz_TnomVnom	Pass	30M	2.387G	1M	2.37477G	-54.45	0.00359	-26.02	2.5
2402MHz_TnomVnom	Pass	2.387G	2.4G	1M	2.4G	-31.35	0.73282	-16.02	25
2402MHz_TnomVnom	Pass	2.4835G	2.4965G	1M	2.48578G	-53.75	0.00422	-16.02	25
2402MHz_TnomVnom	Pass	2.4965G	12.5G	1M	6.90367G	-48.00	0.01585	-26.02	2.5
2402MHz_TnomVmin	Pass	30M	2.387G	1M	2.38155G	-54.12	0.00387	-26.02	2.5
2402MHz_TnomVmin	Pass	2.387G	2.4G	1M	2.4G	-31.38	0.72778	-16.02	25
2402MHz_TnomVmin	Pass	2.4835G	2.4965G	1M	2.4853G	-53.93	0.00405	-16.02	25
2402MHz_TnomVmin	Pass	2.4965G	12.5G	1M	11.23456G	-48.00	0.01585	-26.02	2.5
2402MHz_TnomVmax	Pass	30M	2.387G	1M	2.36439G	-54.98	0.00318	-26.02	2.5
2402MHz_TnomVmax	Pass	2.387G	2.4G	1M	2.4G	-31.28	0.74473	-16.02	25
2402MHz_TnomVmax	Pass	2.4835G	2.4965G	1M	2.49626G	-53.60	0.00437	-16.02	25
2402MHz_TnomVmax	Pass	2.4965G	12.5G	1M	11.16422G	-48.09	0.01552	-26.02	2.5
2440MHz_TnomVnom	Pass	30M	2.387G	1M	2.36159G	-54.94	0.00321	-26.02	2.5
2440MHz_TnomVnom	Pass	2.387G	2.4G	1M	2.39721G	-54.45	0.00359	-16.02	25
2440MHz_TnomVnom	Pass	2.4835G	2.4965G	1M	2.49298G	-53.51	0.00446	-16.02	25
2440MHz_TnomVnom	Pass	2.4965G	12.5G	1M	11.98169G	-48.13	0.01538	-26.02	2.5
2440MHz_TnomVmin	Pass	30M	2.387G	1M	2.35916G	-54.56	0.0035	-26.02	2.5
2440MHz_TnomVmin	Pass	2.387G	2.4G	1M	2.39899G	-54.02	0.00396	-16.02	25
2440MHz_TnomVmin	Pass	2.4835G	2.4965G	1M	2.49504G	-53.93	0.00405	-16.02	25
2440MHz_TnomVmin	Pass	2.4965G	12.5G	1M	5.9724G	-47.81	0.01656	-26.02	2.5
2440MHz_TnomVmax	Pass	30M	2.387G	1M	2.36291G	-54.97	0.00318	-26.02	2.5
2440MHz_TnomVmax	Pass	2.387G	2.4G	1M	2.39717G	-54.21	0.00379	-16.02	25
2440MHz_TnomVmax	Pass	2.4835G	2.4965G	1M	2.4839G	-54.10	0.00389	-16.02	25
2440MHz_TnomVmax	Pass	2.4965G	12.5G	1M	11.26269G	-47.81	0.01656	-26.02	2.5
2480MHz_TnomVnom	Pass	30M	2.387G	1M	2.37499G	-54.72	0.00337	-26.02	2.5
2480MHz_TnomVnom	Pass	2.387G	2.4G	1M	2.39746G	-54.37	0.00366	-16.02	25
2480MHz_TnomVnom	Pass	2.4835G	2.4965G	1M	2.49332G	-53.57	0.0044	-16.02	25
2480MHz_TnomVnom	Pass	2.4965G	12.5G	1M	12.49344G	-48.17	0.01524	-26.02	2.5
2480MHz_TnomVmin	Pass	30M	2.387G	1M	2.38398G	-54.66	0.00342	-26.02	2.5
2480MHz_TnomVmin	Pass	2.387G	2.4G	1M	2.39151G	-54.27	0.00374	-16.02	25
2480MHz_TnomVmin	Pass	2.4835G	2.4965G	1M	2.48535G	-53.38	0.00459	-16.02	25
2480MHz_TnomVmin	Pass	2.4965G	12.5G	1M	11.1886G	-48.35	0.01462	-26.02	2.5
2480MHz_TnomVmax	Pass	30M	2.387G	1M	2.37838G	-54.92	0.00322	-26.02	2.5
2480MHz_TnomVmax	Pass	2.387G	2.4G	1M	2.3915G	-53.85	0.00412	-16.02	25
2480MHz_TnomVmax	Pass	2.4835G	2.4965G	1M	2.48418G	-53.31	0.00467	-16.02	25
2480MHz_TnomVmax	Pass	2.4965G	12.5G	1M	11.94887G	-47.72	0.0169	-26.02	2.5





2.4-2.4835GHz_BT-LE(125kbps)

CSE-TX-DTS

2402MHz_TnomVnom

07/03/2026





F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.37477G	-54.45	-26.02	-28.43	-54.45
2.387G	2.4G	2.4G	-31.35	-16.02	-15.33	-31.35
2.4835G	2.4965G	2.48578G	-53.75	-16.02	-37.73	-53.75
2.4965G	12.5G	6.90367G	-48.00	-26.02	-21.98	-48.00

2.4-2.4835GHz_BT-LE(125kbps)

CSE-TX-DTS

2402MHz_TnomVmin

07/03/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.38155G	-54.12	-26.02	-28.10	-54.12
2.387G	2.4G	2.4G	-31.38	-16.02	-15.36	-31.38
2.4835G	2.4965G	2.4853G	-53.93	-16.02	-37.91	-53.93
2.4965G	12.5G	11.23456G	-48.00	-26.02	-21.98	-48.00




2.4-2.4835GHz_BT-LE(125kbps)

CSE-TX-DTS

2402MHz_TnomVmax

07/03/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.36439G	-54.98	-26.02	-28.96	-54.98
2.387G	2.4G	2.4G	-31.28	-16.02	-15.26	-31.28
2.4835G	2.4965G	2.49626G	-53.60	-16.02	-37.58	-53.60
2.4965G	12.5G	11.16422G	-48.09	-26.02	-22.07	-48.09

2.4-2.4835GHz_BT-LE(125kbps)

CSE-TX-DTS

2440MHz_TnomVnom

07/03/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.36159G	-54.94	-26.02	-28.92	-54.94
2.387G	2.4G	2.39721G	-54.45	-16.02	-38.43	-54.45
2.4835G	2.4965G	2.49298G	-53.51	-16.02	-37.49	-53.51
2.4965G	12.5G	11.98169G	-48.13	-26.02	-22.11	-48.13




2.4-2.4835GHz_BT-LE(125kbps)

CSE-TX-DTS

2440MHz_TnomVmin

07/03/2026




2.4-2.4835GHz_BT-LE(125kbps)

CSE-TX-DTS

2440MHz_TnomVmax

07/03/2026






2.4-2.4835GHz_BT-LE(125kbps)

CSE-TX-DTS

2480MHz_TnomVnom

07/03/2026




2.4-2.4835GHz_BT-LE(125kbps)

CSE-TX-DTS

2480MHz_TnomVmin

07/03/2026






2.4-2.4835GHz_BT-LE(125kbps)

CSE-TX-DTS

2480MHz_TnomVmax

07/03/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.37838G	-54.92	-26.02	-28.90	-54.92
2.387G	2.4G	2.3915G	-53.85	-16.02	-37.83	-53.85
2.4835G	2.4965G	2.48418G	-53.31	-16.02	-37.29	-53.31
2.4965G	12.5G	11.94887G	-47.72	-26.02	-21.70	-47.72

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	Psum (dBm/MHz)	Psum (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-
BT-LE(500kbps)	Pass	2.387G	2.4G	1M	2.4G	-30.13	0.97051	-16.02	25

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	Psum (dBm/MHz)	Psum (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
BT-LE(500kbps)	-	-	-	-	-	-	-	-	-
2402MHz_TnomVnom	Pass	30M	2.387G	1M	2.38612G	-54.66	0.00342	-26.02	2.5
2402MHz_TnomVnom	Pass	2.387G	2.4G	1M	2.4G	-30.27	0.93972	-16.02	25
2402MHz_TnomVnom	Pass	2.4835G	2.4965G	1M	2.49309G	-54.17	0.00383	-16.02	25
2402MHz_TnomVnom	Pass	2.4965G	12.5G	1M	11.9373G	-48.17	0.01524	-26.02	2.5
2402MHz_TnomVmin	Pass	30M	2.387G	1M	2.37035G	-54.80	0.00331	-26.02	2.5
2402MHz_TnomVmin	Pass	2.387G	2.4G	1M	2.4G	-30.24	0.94624	-16.02	25
2402MHz_TnomVmin	Pass	2.4835G	2.4965G	1M	2.49529G	-53.68	0.00429	-16.02	25
2402MHz_TnomVmin	Pass	2.4965G	12.5G	1M	11.89416G	-47.51	0.01774	-26.02	2.5
2402MHz_TnomVmax	Pass	30M	2.387G	1M	2.36652G	-54.87	0.00326	-26.02	2.5
2402MHz_TnomVmax	Pass	2.387G	2.4G	1M	2.4G	-30.13	0.97051	-16.02	25
2402MHz_TnomVmax	Pass	2.4835G	2.4965G	1M	2.49086G	-54.15	0.00385	-16.02	25
2402MHz_TnomVmax	Pass	2.4965G	12.5G	1M	11.9223G	-48.02	0.01578	-26.02	2.5
2440MHz_TnomVnom	Pass	30M	2.387G	1M	2.34612G	-54.69	0.0034	-26.02	2.5
2440MHz_TnomVnom	Pass	2.387G	2.4G	1M	2.39945G	-54.14	0.00385	-16.02	25
2440MHz_TnomVnom	Pass	2.4835G	2.4965G	1M	2.48617G	-53.97	0.00401	-16.02	25
2440MHz_TnomVnom	Pass	2.4965G	12.5G	1M	6.92836G	-47.55	0.01758	-26.02	2.5
2440MHz_TnomVmin	Pass	30M	2.387G	1M	2.35931G	-54.07	0.00392	-26.02	2.5
2440MHz_TnomVmin	Pass	2.387G	2.4G	1M	2.3951G	-54.20	0.0038	-16.02	25
2440MHz_TnomVmin	Pass	2.4835G	2.4965G	1M	2.48919G	-53.96	0.00402	-16.02	25
2440MHz_TnomVmin	Pass	2.4965G	12.5G	1M	11.20361G	-48.01	0.01581	-26.02	2.5
2440MHz_TnomVmax	Pass	30M	2.387G	1M	2.2173G	-54.91	0.00323	-26.02	2.5
2440MHz_TnomVmax	Pass	2.387G	2.4G	1M	2.39737G	-54.23	0.00378	-16.02	25
2440MHz_TnomVmax	Pass	2.4835G	2.4965G	1M	2.48547G	-53.82	0.00415	-16.02	25
2440MHz_TnomVmax	Pass	2.4965G	12.5G	1M	12.47812G	-47.89	0.01626	-26.02	2.5
2480MHz_TnomVnom	Pass	30M	2.387G	1M	2.21442G	-54.97	0.00318	-26.02	2.5
2480MHz_TnomVnom	Pass	2.387G	2.4G	1M	2.38742G	-54.45	0.00359	-16.02	25
2480MHz_TnomVnom	Pass	2.4835G	2.4965G	1M	2.48425G	-53.50	0.00447	-16.02	25
2480MHz_TnomVnom	Pass	2.4965G	12.5G	1M	12.48625G	-47.58	0.01746	-26.02	2.5
2480MHz_TnomVmin	Pass	30M	2.387G	1M	2.20853G	-55.04	0.00313	-26.02	2.5
2480MHz_TnomVmin	Pass	2.387G	2.4G	1M	2.39104G	-54.18	0.00382	-16.02	25
2480MHz_TnomVmin	Pass	2.4835G	2.4965G	1M	2.48874G	-53.68	0.00429	-16.02	25
2480MHz_TnomVmin	Pass	2.4965G	12.5G	1M	6.94431G	-48.19	0.01517	-26.02	2.5
2480MHz_TnomVmax	Pass	30M	2.387G	1M	2.37765G	-54.62	0.00345	-26.02	2.5
2480MHz_TnomVmax	Pass	2.387G	2.4G	1M	2.39639G	-54.04	0.00394	-16.02	25
2480MHz_TnomVmax	Pass	2.4835G	2.4965G	1M	2.4851G	-53.30	0.00468	-16.02	25
2480MHz_TnomVmax	Pass	2.4965G	12.5G	1M	6.94681G	-47.93	0.01611	-26.02	2.5




2.4-2.4835GHz_BT-LE(500kbps)

CSE-TX-DTS

2402MHz_TnomVnom

07/03/2026




2.4-2.4835GHz_BT-LE(500kbps)

CSE-TX-DTS

2402MHz_TnomVmin

07/03/2026






2.4-2.4835GHz_BT-LE(500kbps)

CSE-TX-DTS

2402MHz_TnomVmax

07/03/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.36652G	-54.87	-26.02	-28.85	-54.87
2.387G	2.4G	2.4G	-30.13	-16.02	-14.11	-30.13
2.4835G	2.4965G	2.49086G	-54.15	-16.02	-38.13	-54.15
2.4965G	12.5G	11.9223G	-48.02	-26.02	-22.00	-48.02

2.4-2.4835GHz_BT-LE(500kbps)

CSE-TX-DTS

2440MHz_TnomVnom

07/03/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.34612G	-54.69	-26.02	-28.67	-54.69
2.387G	2.4G	2.39945G	-54.14	-16.02	-38.12	-54.14
2.4835G	2.4965G	2.48617G	-53.97	-16.02	-37.95	-53.97
2.4965G	12.5G	6.92836G	-47.55	-26.02	-21.53	-47.55




2.4-2.4835GHz_BT-LE(500kbps)

CSE-TX-DTS

2440MHz_TnomVmin

07/03/2026




2.4-2.4835GHz_BT-LE(500kbps)

CSE-TX-DTS

2440MHz_TnomVmax

07/03/2026






2.4-2.4835GHz_BT-LE(500kbps)

CSE-TX-DTS

2480MHz_TnomVnom

07/03/2026




2.4-2.4835GHz_BT-LE(500kbps)

CSE-TX-DTS

2480MHz_TnomVmin

07/03/2026






2.4-2.4835GHz_BT-LE(500kbps)

CSE-TX-DTS

2480MHz_TnomVmax

07/03/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.37765G	-54.62	-26.02	-28.60	-54.62
2.387G	2.4G	2.39639G	-54.04	-16.02	-38.02	-54.04
2.4835G	2.4965G	2.4851G	-53.30	-16.02	-37.28	-53.30
2.4965G	12.5G	6.94681G	-47.93	-26.02	-21.91	-47.93



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	Psum (dBm/MHz)	Psum (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-
BT-LE(1Mbps)	Pass	2.387G	2.4G	1M	2.4G	-29.93	1.01625	-16.02	25

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	Psum (dBm/MHz)	Psum (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
BT-LE(1Mbps)	-	-	-	-	-	-	-	-	-
2402MHz_TnomVnom	Pass	30M	2.387G	1M	2.18349G	-54.98	0.00318	-26.02	2.5
2402MHz_TnomVnom	Pass	2.387G	2.4G	1M	2.4G	-30.14	0.96828	-16.02	25
2402MHz_TnomVnom	Pass	2.4835G	2.4965G	1M	2.492G	-53.89	0.00408	-16.02	25
2402MHz_TnomVnom	Pass	2.4965G	12.5G	1M	11.28551G	-48.08	0.01556	-26.02	2.5
2402MHz_TnomVmin	Pass	30M	2.387G	1M	2.36741G	-54.77	0.00333	-26.02	2.5
2402MHz_TnomVmin	Pass	2.387G	2.4G	1M	2.4G	-30.11	0.97499	-16.02	25
2402MHz_TnomVmin	Pass	2.4835G	2.4965G	1M	2.48665G	-54.07	0.00392	-16.02	25
2402MHz_TnomVmin	Pass	2.4965G	12.5G	1M	11.23675G	-48.10	0.01549	-26.02	2.5
2402MHz_TnomVmax	Pass	30M	2.387G	1M	2.19527G	-55.00	0.00316	-26.02	2.5
2402MHz_TnomVmax	Pass	2.387G	2.4G	1M	2.4G	-29.93	1.01625	-16.02	25
2402MHz_TnomVmax	Pass	2.4835G	2.4965G	1M	2.49345G	-53.84	0.00413	-16.02	25
2402MHz_TnomVmax	Pass	2.4965G	12.5G	1M	11.88885G	-47.89	0.01626	-26.02	2.5
2440MHz_TnomVnom	Pass	30M	2.387G	1M	2.30266G	-54.86	0.00327	-26.02	2.5
2440MHz_TnomVnom	Pass	2.387G	2.4G	1M	2.38846G	-54.08	0.00391	-16.02	25
2440MHz_TnomVnom	Pass	2.4835G	2.4965G	1M	2.49401G	-54.02	0.00396	-16.02	25
2440MHz_TnomVnom	Pass	2.4965G	12.5G	1M	6.9565G	-48.03	0.01574	-26.02	2.5
2440MHz_TnomVmin	Pass	30M	2.387G	1M	2.38486G	-54.66	0.00342	-26.02	2.5
2440MHz_TnomVmin	Pass	2.387G	2.4G	1M	2.39921G	-53.84	0.00413	-16.02	25
2440MHz_TnomVmin	Pass	2.4835G	2.4965G	1M	2.49305G	-53.99	0.00399	-16.02	25
2440MHz_TnomVmin	Pass	2.4965G	12.5G	1M	6.91555G	-47.88	0.01629	-26.02	2.5
2440MHz_TnomVmax	Pass	30M	2.387G	1M	2.38339G	-54.66	0.00342	-26.02	2.5
2440MHz_TnomVmax	Pass	2.387G	2.4G	1M	2.39687G	-53.87	0.0041	-16.02	25
2440MHz_TnomVmax	Pass	2.4835G	2.4965G	1M	2.49256G	-54.04	0.00394	-16.02	25
2440MHz_TnomVmax	Pass	2.4965G	12.5G	1M	11.99389G	-47.57	0.0175	-26.02	2.5
2480MHz_TnomVnom	Pass	30M	2.387G	1M	2.38538G	-54.65	0.00343	-26.02	2.5
2480MHz_TnomVnom	Pass	2.387G	2.4G	1M	2.38904G	-54.03	0.00395	-16.02	25
2480MHz_TnomVnom	Pass	2.4835G	2.4965G	1M	2.48854G	-53.60	0.00437	-16.02	25
2480MHz_TnomVnom	Pass	2.4965G	12.5G	1M	12.01983G	-47.75	0.01679	-26.02	2.5
2480MHz_TnomVmin	Pass	30M	2.387G	1M	2.37477G	-54.64	0.00344	-26.02	2.5
2480MHz_TnomVmin	Pass	2.387G	2.4G	1M	2.39666G	-54.01	0.00397	-16.02	25
2480MHz_TnomVmin	Pass	2.4835G	2.4965G	1M	2.48371G	-53.69	0.00428	-16.02	25
2480MHz_TnomVmin	Pass	2.4965G	12.5G	1M	11.87916G	-48.12	0.01542	-26.02	2.5
2480MHz_TnomVmax	Pass	30M	2.387G	1M	2.35201G	-54.34	0.00368	-26.02	2.5
2480MHz_TnomVmax	Pass	2.387G	2.4G	1M	2.39287G	-54.26	0.00375	-16.02	25
2480MHz_TnomVmax	Pass	2.4835G	2.4965G	1M	2.48769G	-53.50	0.00447	-16.02	25
2480MHz_TnomVmax	Pass	2.4965G	12.5G	1M	6.93243G	-47.72	0.0169	-26.02	2.5




2.4-2.4835GHz_BT-LE(1Mbps)

CSE-TX-DTS

2402MHz_TnomVnom

07/03/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.18349G	-54.98	-26.02	-28.96	-54.98
2.387G	2.4G	2.4G	-30.14	-16.02	-14.12	-30.14
2.4835G	2.4965G	2.492G	-53.89	-16.02	-37.87	-53.89
2.4965G	12.5G	11.28551G	-48.08	-26.02	-22.06	-48.08

2.4-2.4835GHz_BT-LE(1Mbps)

CSE-TX-DTS

2402MHz_TnomVmin

07/03/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.36741G	-54.77	-26.02	-28.75	-54.77
2.387G	2.4G	2.4G	-30.11	-16.02	-14.09	-30.11
2.4835G	2.4965G	2.48665G	-54.07	-16.02	-38.05	-54.07
2.4965G	12.5G	11.23675G	-48.10	-26.02	-22.08	-48.10




2.4-2.4835GHz_BT-LE(1Mbps)

CSE-TX-DTS

2402MHz_TnomVmax

07/03/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.19527G	-55.00	-26.02	-28.98	-55.00
2.387G	2.4G	2.4G	-29.93	-16.02	-13.91	-29.93
2.4835G	2.4965G	2.49345G	-53.84	-16.02	-37.82	-53.84
2.4965G	12.5G	11.88885G	-47.89	-26.02	-21.87	-47.89

2.4-2.4835GHz_BT-LE(1Mbps)

CSE-TX-DTS

2440MHz_TnomVnom

07/03/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.30266G	-54.86	-26.02	-28.84	-54.86
2.387G	2.4G	2.38846G	-54.08	-16.02	-38.06	-54.08
2.4835G	2.4965G	2.49401G	-54.02	-16.02	-38.00	-54.02
2.4965G	12.5G	6.9565G	-48.03	-26.02	-22.01	-48.03




2.4-2.4835GHz_BT-LE(1Mbps)

CSE-TX-DTS

2440MHz_TnomVmin

07/03/2026




2.4-2.4835GHz_BT-LE(1Mbps)

CSE-TX-DTS

2440MHz_TnomVmax

07/03/2026






2.4-2.4835GHz_BT-LE(1Mbps)

CSE-TX-DTS

2480MHz_TnomVnom

07/03/2026




2.4-2.4835GHz_BT-LE(1Mbps)

CSE-TX-DTS

2480MHz_TnomVmin

07/03/2026






2.4-2.4835GHz_BT-LE(1Mbps)

CSE-TX-DTS

2480MHz_TnomVmax

07/03/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.35201G	-54.34	-26.02	-28.32	-54.34
2.387G	2.4G	2.39287G	-54.26	-16.02	-38.24	-54.26
2.4835G	2.4965G	2.48769G	-53.50	-16.02	-37.48	-53.50
2.4965G	12.5G	6.93243G	-47.72	-26.02	-21.70	-47.72

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	Psum (dBm/MHz)	Psum (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-
BT-LE(2Mbps)	Pass	2.387G	2.4G	1M	2.4G	-17.96	15.99558	-16.02	25

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	Psum (dBm/MHz)	Psum (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
BT-LE(2Mbps)	-	-	-	-	-	-	-	-	-
2402MHz_TnomVnom	Pass	30M	2.387G	1M	2.20153G	-54.81	0.0033	-26.02	2.5
2402MHz_TnomVnom	Pass	2.387G	2.4G	1M	2.39999G	-18.09	15.52387	-16.02	25
2402MHz_TnomVnom	Pass	2.4835G	2.4965G	1M	2.49041G	-54.12	0.00387	-16.02	25
2402MHz_TnomVnom	Pass	2.4965G	12.5G	1M	6.97776G	-47.90	0.01622	-26.02	2.5
2402MHz_TnomVmin	Pass	30M	2.387G	1M	2.19859G	-54.81	0.0033	-26.02	2.5
2402MHz_TnomVmin	Pass	2.387G	2.4G	1M	2.4G	-18.07	15.59553	-16.02	25
2402MHz_TnomVmin	Pass	2.4835G	2.4965G	1M	2.49592G	-53.92	0.00406	-16.02	25
2402MHz_TnomVmin	Pass	2.4965G	12.5G	1M	11.96856G	-47.91	0.01618	-26.02	2.5
2402MHz_TnomVmax	Pass	30M	2.387G	1M	2.16692G	-54.88	0.00325	-26.02	2.5
2402MHz_TnomVmax	Pass	2.387G	2.4G	1M	2.4G	-17.96	15.99558	-16.02	25
2402MHz_TnomVmax	Pass	2.4835G	2.4965G	1M	2.48602G	-53.93	0.00405	-16.02	25
2402MHz_TnomVmax	Pass	2.4965G	12.5G	1M	11.87384G	-47.80	0.0166	-26.02	2.5
2440MHz_TnomVnom	Pass	30M	2.387G	1M	2.38052G	-54.82	0.0033	-26.02	2.5
2440MHz_TnomVnom	Pass	2.387G	2.4G	1M	2.39992G	-54.18	0.00382	-16.02	25
2440MHz_TnomVnom	Pass	2.4835G	2.4965G	1M	2.48418G	-53.77	0.0042	-16.02	25
2440MHz_TnomVnom	Pass	2.4965G	12.5G	1M	11.87759G	-48.15	0.01531	-26.02	2.5
2440MHz_TnomVmin	Pass	30M	2.387G	1M	2.21398G	-54.75	0.00335	-26.02	2.5
2440MHz_TnomVmin	Pass	2.387G	2.4G	1M	2.39679G	-54.21	0.00379	-16.02	25
2440MHz_TnomVmin	Pass	2.4835G	2.4965G	1M	2.48486G	-54.09	0.0039	-16.02	25
2440MHz_TnomVmin	Pass	2.4965G	12.5G	1M	11.91167G	-47.77	0.01671	-26.02	2.5
2440MHz_TnomVmax	Pass	30M	2.387G	1M	2.17811G	-54.99	0.00317	-26.02	2.5
2440MHz_TnomVmax	Pass	2.387G	2.4G	1M	2.39406G	-54.10	0.00389	-16.02	25
2440MHz_TnomVmax	Pass	2.4835G	2.4965G	1M	2.48538G	-53.92	0.00406	-16.02	25
2440MHz_TnomVmax	Pass	2.4965G	12.5G	1M	6.91179G	-47.99	0.01589	-26.02	2.5
2480MHz_TnomVnom	Pass	30M	2.387G	1M	2.3434G	-54.62	0.00345	-26.02	2.5
2480MHz_TnomVnom	Pass	2.387G	2.4G	1M	2.38841G	-53.71	0.00426	-16.02	25
2480MHz_TnomVnom	Pass	2.4835G	2.4965G	1M	2.48573G	-53.70	0.00427	-16.02	25
2480MHz_TnomVnom	Pass	2.4965G	12.5G	1M	6.94868G	-48.01	0.01581	-26.02	2.5
2480MHz_TnomVmin	Pass	30M	2.387G	1M	2.37389G	-55.01	0.00316	-26.02	2.5
2480MHz_TnomVmin	Pass	2.387G	2.4G	1M	2.39536G	-53.97	0.00401	-16.02	25
2480MHz_TnomVmin	Pass	2.4835G	2.4965G	1M	2.48353G	-53.63	0.00434	-16.02	25
2480MHz_TnomVmin	Pass	2.4965G	12.5G	1M	11.18266G	-47.97	0.01596	-26.02	2.5
2480MHz_TnomVmax	Pass	30M	2.387G	1M	2.35908G	-54.98	0.00318	-26.02	2.5
2480MHz_TnomVmax	Pass	2.387G	2.4G	1M	2.39494G	-54.19	0.00381	-16.02	25
2480MHz_TnomVmax	Pass	2.4835G	2.4965G	1M	2.48351G	-53.57	0.0044	-16.02	25
2480MHz_TnomVmax	Pass	2.4965G	12.5G	1M	11.86947G	-47.70	0.01698	-26.02	2.5





2.4-2.4835GHz_BT-LE(2Mbps)

CSE-TX-DTS

2402MHz_TnomVnom

07/03/2026





F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.20153G	-54.81	-26.02	-28.79	-54.81
2.387G	2.4G	2.39999G	-18.09	-16.02	-2.07	-18.09
2.4835G	2.4965G	2.49041G	-54.12	-16.02	-38.10	-54.12
2.4965G	12.5G	6.97776G	-47.90	-26.02	-21.88	-47.90

2.4-2.4835GHz_BT-LE(2Mbps)

CSE-TX-DTS

2402MHz_TnomVmin

07/03/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.19659G	-54.81	-26.02	-28.79	-54.81
2.387G	2.4G	2.4G	-18.07	-16.02	-2.05	-18.07
2.4835G	2.4965G	2.49592G	-53.92	-16.02	-37.90	-53.92
2.4965G	12.5G	11.96856G	-47.91	-26.02	-21.89	-47.91




2.4-2.4835GHz_BT-LE(2Mbps)

CSE-TX-DTS

2402MHz_TnomVmax

07/03/2026




2.4-2.4835GHz_BT-LE(2Mbps)

CSE-TX-DTS

2440MHz_TnomVnom

07/03/2026






2.4-2.4835GHz_BT-LE(2Mbps)

CSE-TX-DTS

2440MHz_TnomVmin

07/03/2026




2.4-2.4835GHz_BT-LE(2Mbps)

CSE-TX-DTS

2440MHz_TnomVmax

07/03/2026






2.4-2.4835GHz_BT-LE(2Mbps)

CSE-TX-DTS

2480MHz_TnomVnom

07/03/2026




2.4-2.4835GHz_BT-LE(2Mbps)

CSE-TX-DTS

2480MHz_TnomVmin

07/03/2026






2.4-2.4835GHz_BT-LE(2Mbps)

CSE-TX-DTS

2480MHz_TnomVmax

07/03/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.35908G	-54.98	-26.02	-28.96	-54.98
2.387G	2.4G	2.39494G	-54.19	-16.02	-38.17	-54.19
2.4835G	2.4965G	2.48351G	-53.57	-16.02	-37.55	-53.57
2.4965G	12.5G	11.86947G	-47.70	-26.02	-21.68	-47.70

**Summary**

Mode	Result	MAC (ID Length)	ID Limit	Function
2.4-2.4835GHz	-	-	-	-
BT-LE(125kbps)	Pass	E8:C8:F5:C0:06:2D	48 bits	Good

Result

Mode	Result	MAC (ID Length)	ID Limit	Function
BT-LE(125kbps)	-	-	-	-
2402MHz_TnomVnom	Pass	E8:C8:F5:C0:06:2D	48 bits	Good
2402MHz_TnomVmin	Pass	E8:C8:F5:C0:06:2D	48 bits	Good
2402MHz_TnomVmax	Pass	E8:C8:F5:C0:06:2D	48 bits	Good
2440MHz_TnomVnom	Pass	E8:C8:F5:C0:06:2D	48 bits	Good
2440MHz_TnomVmin	Pass	E8:C8:F5:C0:06:2D	48 bits	Good
2440MHz_TnomVmax	Pass	E8:C8:F5:C0:06:2D	48 bits	Good
2480MHz_TnomVnom	Pass	E8:C8:F5:C0:06:2D	48 bits	Good
2480MHz_TnomVmin	Pass	E8:C8:F5:C0:06:2D	48 bits	Good
2480MHz_TnomVmax	Pass	E8:C8:F5:C0:06:2D	48 bits	Good

Summary

Mode	Result	MAC (ID Length)	ID Limit	Function
2.4-2.4835GHz	-	-	-	-
BT-LE(500kbps)	Pass	E8:C8:F5:C0:06:2D	48 bits	Good

Result

Mode	Result	MAC (ID Length)	ID Limit	Function
BT-LE(500kbps)	-	-	-	-
2402MHz_TnomVnom	Pass	E8:C8:F5:C0:06:2D	48 bits	Good
2402MHz_TnomVmin	Pass	E8:C8:F5:C0:06:2D	48 bits	Good
2402MHz_TnomVmax	Pass	E8:C8:F5:C0:06:2D	48 bits	Good
2440MHz_TnomVnom	Pass	E8:C8:F5:C0:06:2D	48 bits	Good
2440MHz_TnomVmin	Pass	E8:C8:F5:C0:06:2D	48 bits	Good
2440MHz_TnomVmax	Pass	E8:C8:F5:C0:06:2D	48 bits	Good
2480MHz_TnomVnom	Pass	E8:C8:F5:C0:06:2D	48 bits	Good
2480MHz_TnomVmin	Pass	E8:C8:F5:C0:06:2D	48 bits	Good
2480MHz_TnomVmax	Pass	E8:C8:F5:C0:06:2D	48 bits	Good

**Summary**

Mode	Result	MAC (ID Length)	ID Limit	Function
2.4-2.4835GHz	-	-	-	-
BT-LE(1Mbps)	Pass	E8:C8:F5:C0:06:2D	48 bits	Good

Result

Mode	Result	MAC (ID Length)	ID Limit	Function
BT-LE(1Mbps)	-	-	-	-
2402MHz_TnomVnom	Pass	E8:C8:F5:C0:06:2D	48 bits	Good
2402MHz_TnomVmin	Pass	E8:C8:F5:C0:06:2D	48 bits	Good
2402MHz_TnomVmax	Pass	E8:C8:F5:C0:06:2D	48 bits	Good
2440MHz_TnomVnom	Pass	E8:C8:F5:C0:06:2D	48 bits	Good
2440MHz_TnomVmin	Pass	E8:C8:F5:C0:06:2D	48 bits	Good
2440MHz_TnomVmax	Pass	E8:C8:F5:C0:06:2D	48 bits	Good
2480MHz_TnomVnom	Pass	E8:C8:F5:C0:06:2D	48 bits	Good
2480MHz_TnomVmin	Pass	E8:C8:F5:C0:06:2D	48 bits	Good
2480MHz_TnomVmax	Pass	E8:C8:F5:C0:06:2D	48 bits	Good

**Summary**

Mode	Result	MAC (ID Length)	ID Limit	Function
2.4-2.4835GHz	-	-	-	-
BT-LE(2Mbps)	Pass	E8:C8:F5:C0:06:2D	48 bits	Good

Result

Mode	Result	MAC (ID Length)	ID Limit	Function
BT-LE(2Mbps)	-	-	-	-
2402MHz_TnomVnom	Pass	E8:C8:F5:C0:06:2D	48 bits	Good
2402MHz_TnomVmin	Pass	E8:C8:F5:C0:06:2D	48 bits	Good
2402MHz_TnomVmax	Pass	E8:C8:F5:C0:06:2D	48 bits	Good
2440MHz_TnomVnom	Pass	E8:C8:F5:C0:06:2D	48 bits	Good
2440MHz_TnomVmin	Pass	E8:C8:F5:C0:06:2D	48 bits	Good
2440MHz_TnomVmax	Pass	E8:C8:F5:C0:06:2D	48 bits	Good
2480MHz_TnomVnom	Pass	E8:C8:F5:C0:06:2D	48 bits	Good
2480MHz_TnomVmin	Pass	E8:C8:F5:C0:06:2D	48 bits	Good
2480MHz_TnomVmax	Pass	E8:C8:F5:C0:06:2D	48 bits	Good

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	Psum (dBm)	Psum (nW)	Limit (dBm)	Limit (nW)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-
BT-LE(125kbps)	Pass	1G	12.5G	1M	11.22134G	-77.99	0.01589	-46.99	20

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	Psum (dBm)	Psum (nW)	Limit (dBm)	Limit (nW)
BT-LE(125kbps)	-	-	-	-	-	-	-	-	-
2402MHz_TnomVnom	Pass	30M	1G	100k	808.88M	-91.22	0.00076	-53.98	4
2402MHz_TnomVnom	Pass	1G	12.5G	1M	11.19727G	-78.22	0.01507	-46.99	20
2402MHz_TnomVmin	Pass	30M	1G	100k	959.08M	-90.30	0.00093	-53.98	4
2402MHz_TnomVmin	Pass	1G	12.5G	1M	11.88475G	-78.26	0.01493	-46.99	20
2402MHz_TnomVmax	Pass	30M	1G	100k	999.94M	-91.84	0.00065	-53.98	4
2402MHz_TnomVmax	Pass	1G	12.5G	1M	6.96814G	-78.45	0.01429	-46.99	20
2440MHz_TnomVnom	Pass	30M	1G	100k	988.54M	-91.97	0.00064	-53.98	4
2440MHz_TnomVnom	Pass	1G	12.5G	1M	11.22134G	-77.99	0.01589	-46.99	20
2440MHz_TnomVmin	Pass	30M	1G	100k	972.69M	-91.60	0.00069	-53.98	4
2440MHz_TnomVmin	Pass	1G	12.5G	1M	11.21559G	-78.30	0.01479	-46.99	20
2440MHz_TnomVmax	Pass	30M	1G	100k	825.61M	-91.25	0.00075	-53.98	4
2440MHz_TnomVmax	Pass	1G	12.5G	1M	11.18828G	-78.01	0.01581	-46.99	20
2480MHz_TnomVnom	Pass	30M	1G	100k	846.41M	-91.64	0.00069	-53.98	4
2480MHz_TnomVnom	Pass	1G	12.5G	1M	11.85456G	-78.12	0.01542	-46.99	20
2480MHz_TnomVmin	Pass	30M	1G	100k	891.45M	-91.48	0.00071	-53.98	4
2480MHz_TnomVmin	Pass	1G	12.5G	1M	11.21667G	-78.28	0.01486	-46.99	20
2480MHz_TnomVmax	Pass	30M	1G	100k	939.98M	-91.55	0.0007	-53.98	4
2480MHz_TnomVmax	Pass	1G	12.5G	1M	6.9243G	-78.63	0.01371	-46.99	20




2.4-2.4835GHz_BT-LE(125kbps)

CSE-RX-DTS

2402MHz_TnomVnom

07/03/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	808.88M	-91.22	-53.98	-37.24	-91.22
1G	12.5G	11.19727G	-78.22	-46.99	-31.23	-78.22

2.4-2.4835GHz_BT-LE(125kbps)

CSE-RX-DTS

2402MHz_TnomVmin

07/03/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	959.08M	-90.30	-53.98	-36.32	-90.30
1G	12.5G	11.88475G	-78.26	-46.99	-31.27	-78.26




2.4-2.4835GHz_BT-LE(125kbps)

CSE-RX-DTS

2402MHz_TnomVmax

07/03/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	999.94M	-91.84	-53.98	-37.86	-91.84
1G	12.5G	6.96814G	-78.45	-46.99	-31.46	-78.45

2.4-2.4835GHz_BT-LE(125kbps)

CSE-RX-DTS

2440MHz_TnomVnom

07/03/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	988.54M	-91.97	-53.98	-37.99	-91.97
1G	12.5G	11.22134G	-77.99	-46.99	-31.00	-77.99




2.4-2.4835GHz_BT-LE(125kbps)

CSE-RX-DTS

2440MHz_TnomVmin

07/03/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	972.69M	-91.60	-53.98	-37.62	-91.60
1G	12.5G	11.21559G	-78.30	-46.99	-31.31	-78.30

2.4-2.4835GHz_BT-LE(125kbps)

CSE-RX-DTS

2440MHz_TnomVmax

07/03/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	825.61M	-91.25	-53.98	-37.27	-91.25
1G	12.5G	11.18828G	-78.01	-46.99	-31.02	-78.01




2.4-2.4835GHz_BT-LE(125kbps)

CSE-RX-DTS

2480MHz_TnomVnom

07/03/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	846.41M	-91.64	-53.98	-37.66	-91.64
1G	12.5G	11.85456G	-78.12	-46.99	-31.13	-78.12

2.4-2.4835GHz_BT-LE(125kbps)

CSE-RX-DTS

2480MHz_TnomVmin

07/03/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	891.45M	-91.48	-53.98	-37.50	-91.48
1G	12.5G	11.21667G	-78.28	-46.99	-31.29	-78.28




2.4-2.4835GHz_BT-LE(125kbps)

CSE-RX-DTS

2480MHz_TnomVmax

07/03/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	939.98M	-91.55	-53.98	-37.57	-91.55
1G	12.5G	6.9243G	-78.63	-46.99	-31.64	-78.63

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	Psum (dBm)	Psum (nW)	Limit (dBm)	Limit (nW)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-
BT-LE(500kbps)	Pass	1G	12.5G	1M	11.18433G	-77.95	0.01603	-46.99	20

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	Psum (dBm)	Psum (nW)	Limit (dBm)	Limit (nW)
BT-LE(500kbps)	-	-	-	-	-	-	-	-	-
2402MHz_TnomVnom	Pass	30M	1G	100k	968.57M	-91.32	0.00074	-53.98	4
2402MHz_TnomVnom	Pass	1G	12.5G	1M	11.8923G	-78.22	0.01507	-46.99	20
2402MHz_TnomVmin	Pass	30M	1G	100k	934.62M	-92.15	0.00061	-53.98	4
2402MHz_TnomVmin	Pass	1G	12.5G	1M	11.15594G	-78.28	0.01486	-46.99	20
2402MHz_TnomVmax	Pass	30M	1G	100k	992.94M	-91.46	0.00071	-53.98	4
2402MHz_TnomVmax	Pass	1G	12.5G	1M	12.49533G	-78.26	0.01493	-46.99	20
2440MHz_TnomVnom	Pass	30M	1G	100k	943.68M	-91.65	0.00068	-53.98	4
2440MHz_TnomVnom	Pass	1G	12.5G	1M	6.89195G	-78.41	0.01442	-46.99	20
2440MHz_TnomVmin	Pass	30M	1G	100k	716.12M	-91.43	0.00072	-53.98	4
2440MHz_TnomVmin	Pass	1G	12.5G	1M	11.94297G	-78.22	0.01507	-46.99	20
2440MHz_TnomVmax	Pass	30M	1G	100k	964.93M	-91.77	0.00067	-53.98	4
2440MHz_TnomVmax	Pass	1G	12.5G	1M	11.94333G	-78.29	0.01483	-46.99	20
2480MHz_TnomVnom	Pass	30M	1G	100k	887.78M	-91.04	0.00079	-53.98	4
2480MHz_TnomVnom	Pass	1G	12.5G	1M	11.18433G	-77.95	0.01603	-46.99	20
2480MHz_TnomVmin	Pass	30M	1G	100k	889.6M	-91.60	0.00069	-53.98	4
2480MHz_TnomVmin	Pass	1G	12.5G	1M	11.93973G	-78.35	0.01462	-46.99	20
2480MHz_TnomVmax	Pass	30M	1G	100k	566.65M	-91.19	0.00076	-53.98	4
2480MHz_TnomVmax	Pass	1G	12.5G	1M	11.92213G	-78.28	0.01486	-46.99	20




2.4-2.4835GHz_BT-LE(500kbps)

CSE-RX-DTS

2402MHz_TnomVnom

07/03/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	968.57M	-91.32	-53.98	-37.34	-91.32
1G	12.5G	11.8923G	-78.22	-46.99	-31.23	-78.22

2.4-2.4835GHz_BT-LE(500kbps)

CSE-RX-DTS

2402MHz_TnomVmin

07/03/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	934.62M	-92.15	-53.98	-38.17	-92.15
1G	12.5G	11.15594G	-78.28	-46.99	-31.29	-78.28




2.4-2.4835GHz_BT-LE(500kbps)

CSE-RX-DTS

2402MHz_TnomVmax

07/03/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	992.94M	-91.46	-53.98	-37.48	-91.46
1G	12.5G	12.49533G	-78.26	-46.99	-31.27	-78.26

2.4-2.4835GHz_BT-LE(500kbps)

CSE-RX-DTS

2440MHz_TnomVnom

07/03/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	943.68M	-91.65	-53.98	-37.67	-91.65
1G	12.5G	6.89195G	-78.41	-46.99	-31.42	-78.41




2.4-2.4835GHz_BT-LE(500kbps)

CSE-RX-DTS

2440MHz_TnomVmin

07/03/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	716.12M	-91.43	-53.98	-37.45	-91.43
1G	12.5G	11.94297G	-78.22	-46.99	-31.23	-78.22

2.4-2.4835GHz_BT-LE(500kbps)

CSE-RX-DTS

2440MHz_TnomVmax

07/03/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	964.93M	-91.77	-53.98	-37.79	-91.77
1G	12.5G	11.94333G	-78.29	-46.99	-31.30	-78.29




2.4-2.4835GHz_BT-LE(500kbps)

CSE-RX-DTS

2480MHz_TnomVnom

07/03/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	887.78M	-91.04	-53.98	-37.06	-91.04
1G	12.5G	11.18433G	-77.95	-46.99	-30.96	-77.95

2.4-2.4835GHz_BT-LE(500kbps)

CSE-RX-DTS

2480MHz_TnomVmin

07/03/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	889.6M	-91.60	-53.98	-37.62	-91.60
1G	12.5G	11.93973G	-78.35	-46.99	-31.36	-78.35




2.4-2.4835GHz_BT-LE(500kbps)

CSE-RX-DTS

2480MHz_TnomVmax

07/03/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	566.65M	-91.19	-53.98	-37.21	-91.19
1G	12.5G	11.92213G	-78.28	-46.99	-31.29	-78.28

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	Psum (dBm)	Psum (nW)	Limit (dBm)	Limit (nW)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-
BT-LE(1Mbps)	Pass	1G	12.5G	1M	11.18109G	-78.03	0.01574	-46.99	20

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	Psum (dBm)	Psum (nW)	Limit (dBm)	Limit (nW)
BT-LE(1Mbps)	-	-	-	-	-	-	-	-	-
2402MHz_TnomVnom	Pass	30M	1G	100k	976.96M	-91.43	0.00072	-53.98	4
2402MHz_TnomVnom	Pass	1G	12.5G	1M	11.18109G	-78.03	0.01574	-46.99	20
2402MHz_TnomVmin	Pass	30M	1G	100k	965.75M	-91.80	0.00066	-53.98	4
2402MHz_TnomVmin	Pass	1G	12.5G	1M	11.1678G	-78.41	0.01442	-46.99	20
2402MHz_TnomVmax	Pass	30M	1G	100k	949.23M	-91.60	0.00069	-53.98	4
2402MHz_TnomVmax	Pass	1G	12.5G	1M	11.9135G	-78.16	0.01528	-46.99	20
2440MHz_TnomVnom	Pass	30M	1G	100k	954.08M	-91.96	0.00064	-53.98	4
2440MHz_TnomVnom	Pass	1G	12.5G	1M	6.99366G	-78.35	0.01462	-46.99	20
2440MHz_TnomVmin	Pass	30M	1G	100k	960.96M	-91.56	0.0007	-53.98	4
2440MHz_TnomVmin	Pass	1G	12.5G	1M	11.91673G	-78.32	0.01472	-46.99	20
2440MHz_TnomVmax	Pass	30M	1G	100k	911.12M	-91.18	0.00076	-53.98	4
2440MHz_TnomVmax	Pass	1G	12.5G	1M	11.22566G	-78.68	0.01355	-46.99	20
2480MHz_TnomVnom	Pass	30M	1G	100k	979.27M	-91.67	0.00068	-53.98	4
2480MHz_TnomVnom	Pass	1G	12.5G	1M	6.79133G	-78.17	0.01524	-46.99	20
2480MHz_TnomVmin	Pass	30M	1G	100k	945.1M	-91.93	0.00064	-53.98	4
2480MHz_TnomVmin	Pass	1G	12.5G	1M	6.86716G	-78.47	0.01422	-46.99	20
2480MHz_TnomVmax	Pass	30M	1G	100k	979.69M	-91.46	0.00071	-53.98	4
2480MHz_TnomVmax	Pass	1G	12.5G	1M	11.23967G	-78.32	0.01472	-46.99	20




2.4-2.4835GHz_BT-LE(1Mbps)

CSE-RX-DTS

2402MHz_TnomVnom

07/03/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	976.96M	-91.43	-53.98	-37.45	-91.43
1G	12.5G	11.18109G	-78.03	-46.99	-31.04	-78.03

2.4-2.4835GHz_BT-LE(1Mbps)

CSE-RX-DTS

2402MHz_TnomVmin

07/03/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	965.75M	-91.80	-53.98	-37.82	-91.80
1G	12.5G	11.1678G	-78.41	-46.99	-31.42	-78.41




2.4-2.4835GHz_BT-LE(1Mbps)

CSE-RX-DTS

2402MHz_TnomVmax

07/03/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	949.23M	-91.60	-53.98	-37.62	-91.60
1G	12.5G	11.9135G	-78.16	-46.99	-31.17	-78.16

2.4-2.4835GHz_BT-LE(1Mbps)

CSE-RX-DTS

2440MHz_TnomVnom

07/03/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	954.08M	-91.96	-53.98	-37.98	-91.96
1G	12.5G	6.99366G	-78.35	-46.99	-31.36	-78.35




2.4-2.4835GHz_BT-LE(1Mbps)

CSE-RX-DTS

2440MHz_TnomVmin

07/03/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	960.96M	-91.56	-53.98	-37.58	-91.56
1G	12.5G	11.91673G	-78.32	-46.99	-31.33	-78.32

2.4-2.4835GHz_BT-LE(1Mbps)

CSE-RX-DTS

2440MHz_TnomVmax

07/03/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	911.12M	-91.18	-53.98	-37.20	-91.18
1G	12.5G	11.22566G	-78.68	-46.99	-31.69	-78.68




2.4-2.4835GHz_BT-LE(1Mbps)

CSE-RX-DTS

2480MHz_TnomVnom

07/03/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	979.27M	-91.67	-53.98	-37.69	-91.67
1G	12.5G	6.79133G	-78.17	-46.99	-31.18	-78.17

2.4-2.4835GHz_BT-LE(1Mbps)

CSE-RX-DTS

2480MHz_TnomVmin

07/03/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	945.1M	-91.93	-53.98	-37.95	-91.93
1G	12.5G	6.86716G	-78.47	-46.99	-31.48	-78.47




2.4-2.4835GHz_BT-LE(1Mbps)

CSE-RX-DTS

2480MHz_TnomVmax

07/03/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	979.69M	-91.46	-53.98	-37.48	-91.46
1G	12.5G	11.23967G	-78.32	-46.99	-31.33	-78.32

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	Psum (dBm)	Psum (nW)	Limit (dBm)	Limit (nW)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-
BT-LE(2Mbps)	Pass	1G	12.5G	1M	6.90705G	-77.60	0.01738	-46.99	20

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	Psum (dBm)	Psum (nW)	Limit (dBm)	Limit (nW)
BT-LE(2Mbps)	-	-	-	-	-	-	-	-	-
2402MHz_TnomVnom	Pass	30M	1G	100k	618.31M	-91.03	0.00079	-53.98	4
2402MHz_TnomVnom	Pass	1G	12.5G	1M	11.90811G	-78.26	0.01493	-46.99	20
2402MHz_TnomVmin	Pass	30M	1G	100k	990.6M	-91.15	0.00077	-53.98	4
2402MHz_TnomVmin	Pass	1G	12.5G	1M	11.85277G	-78.30	0.01479	-46.99	20
2402MHz_TnomVmax	Pass	30M	1G	100k	974.9M	-91.80	0.00066	-53.98	4
2402MHz_TnomVmax	Pass	1G	12.5G	1M	11.81323G	-77.89	0.01626	-46.99	20
2440MHz_TnomVnom	Pass	30M	1G	100k	974.78M	-91.28	0.00074	-53.98	4
2440MHz_TnomVnom	Pass	1G	12.5G	1M	6.90705G	-77.60	0.01738	-46.99	20
2440MHz_TnomVmin	Pass	30M	1G	100k	632.58M	-91.96	0.00064	-53.98	4
2440MHz_TnomVmin	Pass	1G	12.5G	1M	11.90955G	-78.47	0.01422	-46.99	20
2440MHz_TnomVmax	Pass	30M	1G	100k	606.03M	-91.65	0.00068	-53.98	4
2440MHz_TnomVmax	Pass	1G	12.5G	1M	11.19763G	-78.40	0.01445	-46.99	20
2480MHz_TnomVnom	Pass	30M	1G	100k	595.51M	-91.14	0.00077	-53.98	4
2480MHz_TnomVnom	Pass	1G	12.5G	1M	6.9128G	-78.28	0.01486	-46.99	20
2480MHz_TnomVmin	Pass	30M	1G	100k	829.46M	-91.65	0.00068	-53.98	4
2480MHz_TnomVmin	Pass	1G	12.5G	1M	6.99294G	-78.25	0.01496	-46.99	20
2480MHz_TnomVmax	Pass	30M	1G	100k	769.53M	-92.22	0.0006	-53.98	4
2480MHz_TnomVmax	Pass	1G	12.5G	1M	11.21631G	-78.00	0.01585	-46.99	20




2.4-2.4835GHz_BT-LE(2Mbps)

CSE-RX-DTS

2402MHz_TnomVnom

07/03/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	618.31M	-91.03	-53.98	-37.05	-91.03
1G	12.5G	11.90811G	-78.26	-46.99	-31.27	-78.26

2.4-2.4835GHz_BT-LE(2Mbps)

CSE-RX-DTS

2402MHz_TnomVmin

07/03/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	990.6M	-91.15	-53.98	-37.17	-91.15
1G	12.5G	11.85277G	-78.30	-46.99	-31.31	-78.30




2.4-2.4835GHz_BT-LE(2Mbps)

CSE-RX-DTS

2402MHz_TnomVmax

07/03/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	974.9M	-91.80	-53.98	-37.82	-91.80
1G	12.5G	11.81323G	-77.89	-46.99	-30.90	-77.89

2.4-2.4835GHz_BT-LE(2Mbps)

CSE-RX-DTS

2440MHz_TnomVnom

07/03/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	974.78M	-91.28	-53.98	-37.30	-91.28
1G	12.5G	6.90705G	-77.60	-46.99	-30.61	-77.60




2.4-2.4835GHz_BT-LE(2Mbps)

CSE-RX-DTS

2440MHz_TnomVmin

07/03/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	632.58M	-91.96	-53.98	-37.98	-91.96
1G	12.5G	11.90955G	-78.47	-46.99	-31.48	-78.47

2.4-2.4835GHz_BT-LE(2Mbps)

CSE-RX-DTS

2440MHz_TnomVmax

07/03/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	606.03M	-91.65	-53.98	-37.67	-91.65
1G	12.5G	11.19763G	-78.40	-46.99	-31.41	-78.40




2.4-2.4835GHz_BT-LE(2Mbps)

CSE-RX-DTS

2480MHz_TnomVnom

07/03/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	595.51M	-91.14	-53.98	-37.16	-91.14
1G	12.5G	6.9128G	-78.28	-46.99	-31.29	-78.28

2.4-2.4835GHz_BT-LE(2Mbps)

CSE-RX-DTS

2480MHz_TnomVmin

07/03/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	829.46M	-91.65	-53.98	-37.67	-91.65
1G	12.5G	6.99294G	-78.25	-46.99	-31.26	-78.25




2.4-2.4835GHz_BT-LE(2Mbps)

CSE-RX-DTS

2480MHz_TnomVmax

07/03/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	769.53M	-92.22	-53.98	-38.24	-92.22
1G	12.5G	11.21631G	-78.00	-46.99	-31.01	-78.00