



### 2.4-2.5 GHZ, 5.25-5.925 GHZ DUAL-BAND OMNIDIRECTIONAL ANTENNA

The Laird OC24519-FNM is a 2.4-2.5/5.25-5.925 GHz dual-band omnidirectional collinear array especially designed to compliment interior or exterior mounted wireless network systems. The integrated male or female N-connector is imbedded in the antenna base cap for direct AP mounting. Sealing permits either upright or inverted orientation in outdoor locations. The antenna may also be pole-mounted when separation from the AP is required for optimum positioning.

#### FEATURES


- Dual-band high gain performance
- Vertically polarized omnidirectional
- UV-rated polycarbonate radome
- Direct to radio mounting
- Conformance to RoHS

#### MARKETS

- Offices, hotels, and college campuses
- Airports and hospitals
- Bus terminals and train stations
- Museums, libraries, and retail malls
- Wi-Fi hot spots

SPECIFICATIONS		
Frequency	2.4-2.5 GHz/5.250-5.925 GHz	
Gain	7.5 dBi/9 dBi	
Polarization	Vertical	
VSWR	2.40-2.500 GHz	≤ 1.5:1
	5.25-5.700 GHz	≤ 1.8:1
	5.70-5.850 GHz	≤ 1.5:1
	5.85-5.925 GHz	≤ 2.0:1
E-Plane 3 dB Beamwidth	22°/11°	
H-Plane 3 dB	Omnidirectional	
RF Connector	Type N, fixed (male or female)	
Power	1 Watt	
Weight	0.20 kg	
Radome	Polycarbonate, UV, white	
Operational Temperature	-30°C to +70°C	
Storage Temperature	-40°C to +85°C	
Mounting	Connector fixed, upright and inverted orientation	
Dimensions (mm)	31.8 diameter x 376.8 length	

#### ANTENNA PATTERNS



Americas: +1.847.839.6925  
IAS-AmericasSales@lairdtech.com

Europe: +44.1628.858941  
IAS-EUSales@lairdtech.com

Asia:  
IAS-AsiaSales@lairdtech.com

Middle East and Africa: +44.1628.858941  
IAS-MEASales@lairdtech.com  
[www.lairdtech.com](http://www.lairdtech.com)

#### ANT-DS-OC24519-FNM 0118

Any information furnished by Laird Inc. and its agents is believed to be accurate and reliable. All specifications are subject to change without notice. Responsibility for the use and application of Laird materials rests with the end user, since Laird and its agents cannot be aware of all potential uses. Laird makes no warranties as to the fitness, merchantability or suitability of any Laird materials or products for any specific or general uses. Laird shall not be liable for incidental or consequential damages of any kind. All Laird products are sold pursuant to the Laird Terms and Conditions of sale in effect from time to time, a copy of which will be furnished upon request. © Copyright 2017 Laird Inc. All Rights Reserved. Laird, Laird Technologies, the Laird Logo, and other marks are trade marks or registered trade marks of Laird Inc. or an affiliate company thereof. Other product or service names may be the property of third parties. Nothing herein provides a license under any Laird or any third party intellectual property rights.