

EU-type examination (Module B)

certificate

No: 172140448/AA/00

In compliance with the procedure specified in RD_061, Telefication declares as designated Notified Body 0560 for the European Radio Equipment Directive, that the stated product, complies with the essential requirements, in accordance with Article 3 of Directive 2014/53/EU, as indicated under Annex 1 of this certificate, based on the applicable Technical Standards and Specifications as listed under Annex 2 of this Certificate.

Product description: 802.11AG Mini Compact Flash Module with antenna connectors

Trademark: Laird Technologies
Type designation: SDC-MSD30AG
Variants: See Annex 3

This certificate is granted to manufacturer:

Name: Laird Technologies
Address: W66N220 Commerce Court

City: 53012 Cedarburg, Wisconsin

Country: USA

This certificate remains valid as long as the stated product stays in compliance with the essential requirements of the Radio Equipment Directive.

This certificate has THREE Annexes.

Zevenaar, 01 June 2017





Geesje Geers Product Assessor





General Conditions

For each product to which this EU-type examination relates, it has complied to the essential requirements as follows:

Article 3.1

Radio equipment shall be constructed so as to ensure:

- The protection of health and safety of persons and of domestic animals and the protection of property,

 (a) including the objectives with respect to safety requirements set out in Directive 2014/35/EU, but with no voltage limit applying;
- C (b) An adequate level of electromagnetic compatibility as set out in Directive 2014/30/EU.

Article 3.2

Radio equipment shall be so constructed that it both effectively uses and supports the efficient use of radio spectrum in order to avoid harmful interference.

Article 3.3

Radio equipment within certain categories or classes shall be so constructed that it complies with the following essential requirements:

- NA (a) Radio equipment interworks with accessories, in particular with common chargers;
- NA (b) Radio equipment interworks via networks with other radio equipment;
- NA (c) Radio equipment can be connected to interfaces of the appropriate type throughout the Union;
- NA (d) Radio equipment does not harm the network or its functioning nor misuse network resources, thereby causing an unacceptable degradation of service;.
- NA (e) Radio equipment incorporates safeguards to ensure that the personal data and privacy of the user and of the subscriber are protected;
- NA (f) Radio equipment supports certain features ensuring protection from fraud;
- NA (g) Radio equipment supports certain features ensuring access to emergency services;
- NA (h) Radio equipment supports certain features in order to facilitate its use by users with a disability;
- Radio equipment supports certain features in order to ensure that software can only be loaded into the
- NA (i) radio equipment where the compliance of the combination of the radio equipment and software has been demonstrated.

Opinions

C = Conform NC = Not Conform

NA = Not applicable (for this equipment)
NP = Not performed (in this statement)



- This EU-type examination certificate is limited to the Radio Equipment Directive.
- This EU-type examination certificate is part of the Conformity Assessment procedure Module B, as described in annex III of the Radio Equipment Directive.
- The validity of this EU-type examination certificate is limited to products, which are equal to the one(s) assessed for this EU-type examination.
- When the manufacturer (or holder of this EU-type examination certificate) is placing the listed products on the
 European market or the countries of the EEA, he is obliged to label the products with the prescribed CE logo.
 The CE logo stands for conformity to all applicable Directives.
 Next to the CE logo the manufacturer has to draw up and issue a Declaration of Conformity, declaring that
 the product(s) described in this EU type-examination certificate, are in compliance with Directive 2014/53/EU
 and any other applicable EU harmonization legislation.
- Each product shall be identified by means of type, batch and/or serial numbers and the name of the manufacturer and/or importer.
- If the equipment is to be modified, Telefication shall be notified immediately. Depending on the modifications, Telefication may have additional examinations carried out in consultation with the applicant.
- Enforcement of a new amending directive voids the validity of this EU-type examination certificate.
- In case any referenced standard in this EU-type examination certificate is withdrawn or superseded and the presumption of conformity with the essential requirements has ceased, investigation by Telefication is needed to determine the validity of this EU-type examination.

Remarks and observations

The following conditions are applicable:

Radio Module
DFS: The slave equipment w/o radar capability
The variant differ in Interface
In EU, 5150 to 5350MHz is restricted to indoor



Documentation lodged for this EU-type examination

Test Reports:

- International Certification Corp.: ER431802-03AC, 16 May 2017
- International Certification Corp.: ER431802-03AN, 16 May 2017
- International Certification Corp.: EH431802-03, 04 May 2017
- International Certification Corp.: EY431802-03, 16 May 2017
- International Certification Corp.: EA431802-03, 16 May 2017
- Elliott Laboratories An NTS Company: R87120, 10 April 2012

Product Documentation:

- Assembly drawings
- Bill of materials
- Block diagram
- Electrical diagrams
- Internal photos
- External photos
- Manual
- Label and label placement
- Risk assessment
- Packaging information
- RED declarations
- CAC, and COT declaration

Technical Standards and Specifications

The product is compliant with:

Draft EN 301 489-1	March, 2017	V2.2.0
Draft EN 301 489-17	March, 2017	V3.2.0
EN 300 328	November, 2016	V2.1.1
EN 60950-1	2006	
EN 60950-1/A1	March, 2010	
EN 60950-1/A11	March, 2009	
EN 60950-1/A12	February, 2011	
EN 60950-1/A2	August, 2013	
EN 62311	January, 2008	
Final Draft EN 301 893	March, 2017	V2.1.0



Technical features and characteristics

The product includes the following features and characteristics:

IEEE 802.11b/g

- Operating frequency range: 2412-2472 MHz (13 channels)
 Maximum output power: 19.10 dBm EIRP average (calculated)
- Maximum antenna gain: 2 dBi

IEEE 802.11a

- Operating frequency range: 5180-5240 MHz (4 channels)
 Maximum output power: 19.04 dBm EIRP average (calculated)
 Maximum antenna gain: 5 dBi

IEEE 802.11a

- Operating frequency range: 5260-5320 MHz (4 channels)
 Maximum output power: 17.7 dBm EIRP average (calculated)
- Maximum antenna gain: 5 dBi

IEEE 802.11a

- Operating frequency range: 5500-5700 MHz (11 channels)
 Maximum output power: 17.56 dBm EIRP average (calculated)
- Maximum antenna gain: 5 dBi



The product as described in this EU-type examination includes the following type designations:

- Product description: 802.11AG Mini Compact Flash Module with antenna connectors

- Trademark: Laird Technologies- Type designation: SDC-MSD30AG

- Product description: 802.11AG Mini Compact Flash Module with antenna connectors

- Trademark: Laird Technologies- Type designation: SDC-SSD30AG